



STR-9 Tough and dependable protection

Every day tough meets every day carry

Stoeger brings an earned reputation for durable, dependable shotguns to the world of semiautomatic pistols with the new STR-9. This striker-fired 9mm comes packed with features you'd expect in a pistol costing twice as much. Its integrated rail, internal safety, reversible magazine release, optimized slide serrations, three-dot sight system and enhanced ergonomics deliver consistent performance and comfort.

6

STR-9 - 9MM ITEM # M900SS006-CDN Black synthetic, nitride-hardened matte black

0429.198008

0

ITEM Number	CALIBER	FINISH	WEIGHT UNLOADED	MAG Capacity		
STR-9, 3 MAGAZINES, 3 BACKSTRAPS (S,M,L)						
M900SS006-CDN	9 m m	Black synthetic, Nitride slide	26 oz.	10		

STR-9 PISTOL

COMMON SPECIFICATIONS: Action: Striker-fired Sights: Quick read three-dot sight Overall Length: 7.44" Barrel Length: 4.17"

STANDARD FEATURES ACTION: Striker-fired.


TRIGGER SAFETY MAGAZINE: three magazines with item M900SS006-CDN. SIGHTS: Quick read three-dot sight. CABLE LOCK: Included with every pistol for safe storage.








Each STR-9 comes outfitted with a threedot sight system featuring snag-resistant edges to ensure smooth draws and holstering. Optional tritium night sights are available.









Among the STR-9's integrated safety features is a tactile loaded-chamber indicator on the top of the receiver that automatically raises when a round is chambered. This allows the user to confirm the presence of a round in the chamber by touch in low light.











COMMON SPECIFICATIONS: Magazine Capacity: 5+1 Chokes: M Type of Sights: Red-bar front sight Length of Pull: $14^{1}/\epsilon^{*}$ Drop at Heel: $2^{1}/2^{*}$ Drop at Comb: $1^{1}/\epsilon^{*}$



The Stoeger P3000 features a chrome-lined, ventilated rib barrel with a red-bar front sight and a screw-in modified choke.

The Stoeger P3000 pump-action shotgun sports a precision-machined, anodized aluminum receiver and an easily accessible cross-bolt safety found at the rear of the trigger guard.

The checkered, black synthetic stock of the P3000 includes an integrated swivel stud for quick and easy sling attachment and a rubber butt pad for recoil absorption. The pistol grip



is its barrel extension. By reaching well into the receiver, this portion of the barrel saves wear and adds longevity to the action. Also, it makes cycling smoother and helps eject shells more reliably.

P3500 Pump Magnum performance at a friendly price

The Stoeger P3500 is fitted with a checkered, synthetic stock which includes an integrated swivel stud for easy sling attachment and a recoil-absorging, rubber buttpad. An inset Stoeger logo grip cap sets off the pistol grip.









A chrome-lined, ventilated rib barrel with a red-bar front sight and a screw-in modified choke comes standard on the P3500.

The rotating bolt head ensures a positive steel-to-steel lock up that provides the Stoeger pump with strength and reliability.



The new P3500 pump-action shotgun packs all the great features its stable mate the P3000 offers; a chrome-lined barrel, dual-action bars and a rotating bolt head, to name a few, and is chambered to deftly handle up to $3\frac{1}{2}$ " magnum loads. Its ergonomic styling with sleek, thin fore-end profile makes for a pleasingly smooth swing and instinctive pointing. The rock-solid P3500 pump gun also comes in at a price that will make even the most budget-conscious hunter smile.

THE HARD AND STRAND

P3500 PUMP SHOTGUN

ITEM NUMBER	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
	1:	2-GAUGE 234", 3" AND	3½"	
31880	28"	Black synthetic	50"	7.1 lbs.
31883	28"	Realtree® Max-5™	50"	7.1 lbs.
31916	28"	TrueTimber® DRT™	50"	7.1 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: M Type of Sights: Red-bar front sight Length of Pull: $14^3/_8$ " Drop at Heel: $2^1/_2$ " Drop at Comb: $1^1/_2$ "

STANDARD FEATURES

CHOKE TUBES: M and wrench. FINISHES: Realtree® Max-5,™ Black synthetic or True Timber DRT SIGHTS: Red-bar front sight.



The dual action bars of the P3500 provide smooth, solid, reliable operation of the pump-action. The twin pararellel steel bars evenly distribute the force used to manipulate the manual action, preventing twisting and binding from occuring during ejection of a discharged shotshell and the loading of a new round into the chamber.







A precision-machined, anodized aluminum receiver and an easily accessible cross-bolt safety speak to the practical, well-designed, quality craftsmanship found in the P3500.



SEMI-AUTOMATIC SHOTGUNS







The M3K 3-Gun shotgun comes race-ready and gets you up and competing right out of the box. With an oversized bolt release and safety, extended bolt handle, and beveled loading port, the M3K is ultra-reliable and super fast on the reload. This is a 3-Gun shotgun that can deliver the goods without breaking the bank.

М 3 К							
ITEM Number	BARREL LENGTH	STOCK	OVERALL Length	AVERAGE WEIGHT			
		12-GAUGE 2 ³ / ₄ " AND	3"				
31855	24"	Black synthetic	45.75"	6.9 lbs.			

 $\label{eq:common specifications: Magazine Capacity: 4+1 Extended Chokes: C, IC, M \\ \ensuremath{\mathsf{Type of Sights: Red-bar Length of Pull: } 14^{3}/8" Drop at Heel: 2^{1}/2" Drop at Comb: 1^{1}/2" \\ \ensuremath{\mathsf{Minimum recommended load: } 3-dram, 1^{1}/8 ounce. Receiver drilled and tapped for scope \\ \ensuremath{\mathsf{Type of Sights: Red-bar Length of Pull: } 1^{1}/8 ounce. \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope}} \\ \ensuremath{\mathsf{Type of Sights: Red-bar Length of Pull: } 1^{1}/8 ounce. \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope}} \\ \ensuremath{\mathsf{Type of Sights: Red-bar Length of Pull: } 1^{1}/8 ounce. \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope}} \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope} \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope}} \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope} \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope}} \\ \ensuremath{\mathsf{Receiver drilled and tapped for scope} \\ \ensuremath{\mathsf{Receive$ mounting.

Inertia Driven® System



INERTIA DRIVEN® SYSTEM

The Inertia Driven® system used in the Model 3000, Model 3500 and Model 3020 is superior to any other operating system. The rotating bolt head ensures a positive steel-to-steel lock-up that provides the Stoeger semi-autos with ultimate strength and reliability.



As the empty shell exits the receiver, the energy of the moving bolt assembly re-cocks the hammer and compresses the recoil spring on the magazine tube. The recoil spring then thrusts the bolt assembly forward lifting the on-coming shell into position and chambering a fresh cartridge. The gun is ready to fire again...in a fraction of a second!



Near the end of the recoil cycle, chamber pressure drops to a safe level and the gun's rearward motion slows. The heavy inertia spring then thrusts the bolt assembly rearward, unlocking the rotating bolt head, extracting the spent shell from the chamber and pulling it against the ejector.



Your Stoeger firearm is backed by a 5-Year Warranty.

A 5-Year Warranty guarantees that if anything should go wrong, under normal use, your firearm will be serviced for you by skilled gunsmiths at our national firearm service center. While your Stoeger is under warranty, we will assume the cost of parts, labor and shipping required to get your firearm back to you and working perfectly.



The M3K comes with over-sized, anodized aluminum bolt release, oversized safety, and extended tactical-style anodized aluminum bolt handle. The trifecta of components make for quick and easy operation when seconds count.

Model 3000



The M3000 Sporting comes with an over-sized, anodized aluminum bolt release and extended anodized aluminum bolt handle. These enhanced components make for quick and easy operation of the inertia-driven action. A 30-inch ported barrel, extended chokes and a red-bar front sight are all standard features as well.

MODEL 3000 SPORTING ITEM NUMBER BARREL Length OVERALL Length AVERAGE Weight STOCK 12-GAUGE 234" AND 3" 31829 30" Black synthetic 51.75" 7.5 lbs. $\label{eq:common specifications: Magazine Capacity: 4+1 Choke: SK1, IC, SK2 Type of Sights: Red-bar Length of Pull: <math display="inline">14^{3}/8"$ Drop at Heel: $2^{1}/2"$ Drop at Comb: $1^{1}/2"$ Minimum recommended load: 3-dram, $1^{1}/8$ ounce.





STANDARD FEATURES

EXTENDED CHOKE TUBES: C, IC, M and wrench. FINISHES: Black synthetic. SIGHTS: Red-bar front sight. SHIM KIT

OPTIONAL FEATURES

BARRELS: Variety of lengths and finishes. STOCKS: SteadyGrip[™] and standard field stock. WEAVER SCOPE BASE RECOIL REDUCER



And for quicker/easier reloading, the M3K features a custom/elongated carrier and enlarged, beveled loading port.

MODEL 3000 SPORTING - 12-GA, 3" ITEM # 31829 Black synthetic



For quick and easy operation the M3000 sporting is equipped with an over-sized, anodized aluminum bolt release and an extended aluminum bolt handle.

SEMI-AUTOMATIC SHOTGUNS



MODEL 3000 - 12-GA, 3" ITEM # 31930 Satin walnut, Cerakote Burnt Bronze



The Model 3000 can be equipped with an optional recoil reducer. The buttstock incorporates a cut cavity that facilitates easy fitting (synthetic models only).



The Model 3000 is drilled and tapped to accommodate Weaverstyle scope bases.

MODEL 3000

ITEM NUMBER	BARREL Length	STOCK	OVERALL Length	AVERAGE WEIGHT
		12-GAUGE 234" AND 3"		
31831	26"	Black synthetic	47.75"	7.3 lbs.
31830	28"	Black synthetic	49.75"	7.4 lbs.
31837	26"	Realtree [®] Max-5™	47.75"	7.3 lbs.
31838	28"	Realtree [®] Max-5™	49.75"	7.4 lbs.
31886	28"	Realtree® Max-5™/Burnt Bronze Cerakote	49.75"	7.4 lbs.
31930	28"	Satin Walnut/Burnt Bronze Cerakote	49.75"	7.4 lbs.
31866	28"	TrueTimber [®] DRT™	49.75"	7.4 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,XFT Type of Sights: Red-bar Length of Pull: $14^3/s^*$ Drop at heel: $2^1/s^*$ Drop at Comb: $1^1/s^*$ Minimum recommended load: 3-dram, $1^1/s$ ounce. Receiver drilled and tapped for scope mounting.


STANDARD FEATURES

CHOKE TUBES: IC, M, XFT and wrench. FINISHES: Realtree[®] Max-5[™], Black synthetic, or A-Grade satin walnut. SIGHTS: Red-bar front sight. SHIM KIT

OPTIONAL FEATURES

BARRELS: Variety of lengths and finishes. STOCKS: SteadyGrip[™] and standard field stock.

WEAVER SCOPE BASE **RECOIL REDUCER** (Does NOT fit M3000 with wood butt stock)







MODEL 3020 - 20-GA, 3" ITEM # 31820 Black synthetic

		WODEL 3020		
ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL Length	AVERAGE Weight
		20-GAUGE 234" AND 3"		
31820	28"	Black synthetic	49.75"	5.7 lbs.
31822	28"	Realtree [®] Max-5™	49.75"	5.7 lbs.
31865	28"	TrueTimber® DRT™	49.75"	5.7 lbs.

MODEL 2020


COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,XFT Type of Sights: Red-bar Length of Pull: $14^{\prime}a^{\prime}$ Drop at heel: 2" Drop at Comb: $1^{\prime}a^{\ast}$ Minimum recommended load: $^{\prime}\!\!\!/_8$ ounce, 1200 FPS

The Model 3020 comes with a shim kit, allowing you to adjust the drop and cast of the gun's buttstock for a personal fit.



The Model 3020 comes with three choke tubes, including improved cylinder, modified and extra-full turkey (IC, M, XFT).







	MODEL 3500	N	28-139-
REL GTH	STOCK	OVERALL Length	AVERAGE WEIGHT
	12-GAUGE 2 ³ /4", 3" AND 3 ¹ /2"		
6"	Black synthetic	48"	7.55 lbs.
8"	Black synthetic	50"	7.65 lbs.
6"	Realtree [®] Max-5™	48"	7.55 lbs.
8"	Realtree [®] Max-5™	50"	7.65 lbs.
8"	Satin Walnut	50"	7.65 lbs.
8"	TrueTimber® DRT™	50"	7.65 lbs.
8"	Realtree® Max-5™/ Burnt Bronze Cerakote	50"	7.65 lbs.
8"	Waterfowl Edition - Realtree® Max-5™/ Burnt Bronze Cerakote	50"	7.65 lbs.

Condor Longfowler, Condor Supreme & Condor Field Elegant & affordable



Stoeger-14 STOEGER.CA





Stoeger's Condor Longfowler is a 12-gauge over & under that features a 30-inch barrel and extended choke tubes. Designed with waterfowler's in mind, this is a shotgun that's balanced right for a smooth, steady swing when it counts. Here's a waterfowl gun that'll work as hard as





The Stoeger Condor Supreme comes with auto-ejectors for quick ejection of empty hulls and a faster reload of fresh shells.

CONDOR SPECIAL

ITEM NUMBER	BARREL LENGTH	STOCK	CHOKES	OVERALL Length	AVERAGE WEIGHT
		12-GAUGE	2¾", AND 3"		
31022	28"	A-Grade	Screw-in	44"	7.4 lbs.
		20-GAUGE	2¾", AND 3"		
31023	26"	A-Grade	Screw-in	42"	6.8 lbs.

COMMON SPECIFICATIONS: Trigger: Single Trigger Chokes: IC & M (.410 models have fixed F & F chokes) Type of Sights: Brass Bead Length of Pull: $14^{1}/2^{"}$ (Youth 13") Drop at heel: $2^{1}/2^{"}$ Drop at Comb: $1^{1}/2^{"}$ Shell Extractor

CONDOR LONGFOWLER

ITEM Number	BARREL Length	STOCK	CHOKES	OVERALL Length	AVERAGE Weight
		12-GAUGE	2¾", AND 3"		
31061	30"	A-Grade	Screw-in	46"	7.5 lbs.
		20-GAUGE	2¾", AND 3"		
31064	30"	A-Grade	Screw-in	46"	7.0 lbs.

COMMON SPECIFICATIONS: Trigger: Single Trigger Chokes: Extended IC & M Type of Sights: Brass Bead Length of Pull: $14^{1}/_{2}$ " Drop at heel: $2^{1}/_{2}$ " Drop at Comb: $1^{1}/_{2}$ " Shell Extractor

CONDOR SUPREME

ITEM Number	BARREL Length	STOCK	CHOKES	OVERALL Length	AVERAGE WEIGHT
		12-GAUGE	2¾", AND 3"		
31005	28"	AA-Grade	Screw-in	44"	7.4 lbs.
		20-GAUGE	2¾", AND 3"		
31015	26"	AA-Grade	Screw-in	42"	6.8 lbs.
	CIEICATIONS	Trigger, Single	Salastina Triggo	Chakas, IC	P M

COMMON SPECIFICATIONS: Trigger: Single-Selective Trigger Chokes: IC & M Type of Sights: Brass Bead with Mid-Bead Length of Pull: $14^{1}/_{2}$ " Drop at heel: $2^{1}/_{2}$ " Drop at Comb: $1^{1}/_{2}$ " Automatic Ejectors

Condor Competition From range to field

CONDOR COMPETITION - 12-GA, 3" ITEM # 31045 AA-Grade gloss walnut

The Condor Competition is equally at home on a sporting clays course, skeet field or trap range. Available in 12-gauge, the Condor Competition features ported barrels, automatic ejectors and an adjustable comb.

CONDOR COMPETITION

ITEM NUMBER	BARREL Length	STOCK	CHOKES	OVERALL Length	AVERAGE Weight
		12-GAUGE	2¾", AND 3"		
31045	30"	AA-Grade	Screw-in	47"	8.85 lbs.

COMMON SPECIFICATIONS: Trigger: Single-Selective Trigger Extended Chokes: IC,M,F (2 ea.) Type of Sights: Brass Bead Length of Pull: 14¹/₂" Drop at heel: 2¹/₂" Drop at Comb: Adjustable Barrel: Ported Automatic Ejector



The fully adjustable comb on the Condor Competition allows you to custom fit the stock to your personal stock dimensions for whatever target game you favor.

STANDARD FEATURES

CHOKE TUBES: Extended IC, M, F (2 each) and wrench. STOCK: AA-Grade gloss walnut. Fully adjustable comb. SIGHTS: Brass bead. BARRELS: Ported 30" barrels.

OPTIONAL FEATURES CHOKE TUBES: Flush and Extended C, IC, M, IM and F.

Condor Outback

Simplicity and versatility



C

while protecting your home.

The Stoeger Condor Outback has been coined as the ultimate multi-purpose shotgun. It is equipped with 20-inch barrels, making the gun easy to maneuver and quick to shoulder, whether it's hunting in tight cover or

STANDARD FEATURES

CHOKE TUBES: IC and M. STOCK: A-Grade satin walnut and Black-finished walnut. TRIGGER: Single trigger. SIGHTS: Notched rear and fixed blade front.

OPTIONAL FEATURES CHOKE TUBES: Flush and extended C, IC, M, IM and F.

0	ND	0 R	0 U	TB.	ACK

ITEM Number	BARREL Length	STOCK	CHOKES	OVERALL Length	AVERAGE Weight
		12-GAUGE	2¾", AND 3"		
31082	20"	A-Grade	Screw-in	36"	7.0 lbs.
31080*	20"	Black	Screw-in	36"	7.0 lbs.
	20-GAUGE 234", A		2¾", AND 3"		
31083	20"	A-Grade	Screw-in	36"	7.0 lbs.

COMMON SPECIFICATIONS: Trigger: Single Chokes: IC & M Type of Sights: Notched Rear and Fixed Blade Front Length of Pull: $14^{1}/2^{*}$ Drop at heel: $2^{1}/2^{*}$ Drop at Comb: $1^{1}/2^{*}$ Shell Extractor *Polished nickel finish with black-finished walnut stock and fore-end





Ported barrels come standard on the Condor Competition. Barrel porting lets gas escape through the top of the barrel to help keep barrel climb to a minimum for a quick second shot.

PROPERTY.

0494940

A distinctive palm swell for both left- and right-handed shooters gives the Condor Competition a real custom feel. You'll swear the Condor Competition was made for you.




CONDOR OUTBACK - 12-GA, 3" ITEM # 31082 A-Grade satin walnut, polished blue



The Outback utilizes a box-lock type over & under action, complete with a jeweled monobloc and extractors to lift empty hulls from the chamber.

The Grand Target smashing efficiency







The Grand's single barrel features an extractor that lifts the shell from the chamber.

The fully adjustable comb on the Grand allows you to custom fit the stock to match your personal stock requirements for whichever target game you favor.

Outback Defense Frontline of defense



OUTBACK DEFENSE OVERALL Length BARREL Length ITEM NUMBER STOCK CHOKES OUTBACK DEFENSE OVER/UNDER 12-GAUGE 23/4" AND 3" 31089 20" Black-finished walnut 36.5" 7.1 lbs.

COMMON SPECIFICATIONS: Chokes: IC/IC fixed Type of Sights: Fiber-optic front sight Length of Pull: $1^4\prime_2$ " Drop at heel: $2^1\prime_2$ " Drop at Comb: $1^1\prime_2$ " Shell Extractor

THE GRAND - 12-GA, 3" ITEM # 31675 A-Grade satin walnut

The Grand is an entry-level target gun designed for shooting trap. It fea-tures a 30-inch single barrel with a stepped ventilated rib and fiber optic front sight to get on target quickly. The stock incorporates an adjustable comb for a personalized fit.

THE GRAND					
ITEM Number	BARREL Length	STOCK	CHOKES	OVERALL Length	AVERAGE WEIGHT
		12-GAUGE	2¾", AND 3"		
31675	30"	A-Grade	Screw-in	46"	9.1 lbs.
		andad Chakaa M	IM E Tune of Si	abte Ded fiber	antia front aight

Length of Pull: 14¹/₂" Drop at heel: 2¹/₂" Drop at Comb: Adjustable Extractor sight

STANDARD FEATURES

CHOKE TUBES: Extended M, IM, F and wrench. STOCK: A-Grade satin walnut. Fully adjustable comb. SIGHTS: Red fiber-optic front sight. BARRELS: 30" barrel with wide trap rib.

OPTIONAL FEATURES

CHOKE TUBES: Flush and Extended C, IC, M, IM and F.

OUTBACK DEFENSE OVER/UNDER - 12-GA, 3" ITEM # 31089 Matte black-finished walnut (Burris[®] sight and flashlight not included)



STANDARD FEATURES CHOKES: Fixed IC.

STOCK: Matte black-finished walnut. Trigger: Single trigger. SIGHTS: Fiber-optic front sight.

Deluxe Uplander, Uplander Field & Uplander Youth Timeless & affordable

Stoeger's Uplander Field is a classic "duck gun" with the swing, balance and look of a traditional side-by-side shotgun. Designed with waterfowlers in mind, a 30-inch barrel and extended choke tubes gives the Uplander excellent balance for a smooth swing and the ability to really reach out.

The Deluxe Uplander is the ultimate refinement of the Uplander, with a single gold trigger, interchangeable choke tubes and a checkered AA-grade American walnut stock. It offers an exciting combination of features and low price.





sturdy traditional double triggers for optimum reliability.

All of Stoeger's Uplander side-by-side models come standard with extractors.



UPLANDER YOUTH - .410, 3" ITEM # 31135 A-Grade satin walnut

The Uplander Youth model is an excellent choice for young shooters and smaller stature adults. The short stock allows the opportunity for more hunters and shooters to enjoy the history and style of the classic side-by-side design.

DELUXE UPLANDER

ITEM Number	BARREL Length	STOCK	CHOKES	OVERALL Length	AVERAGE Weight
		12-GAUGE	2¾", AND 3"		
31105	28"	AA-Grade	Screw-in	44"	7.5 lbs.
		20-GAUGE	2¾", AND 3"		
31115	26"	AA-Grade	Screw-in	42"	7.3 lbs.


Shell Extractor

STANDARD FEATURES

CHOKE TUBES: IC and M 12-ga. and 20-ga. (.410: F and F fixed). STOCK: A-Grade satin walnut (Supreme models AA-Grade gloss walnut). SIGHTS: Brass bead.

OPTIONAL FEATURES

CHOKE TUBES: Both flush and extended chokes available in C, IC, M, IM and F (12- and 20-gauge only).



COMMON SPECIFICATIONS: Trigger: Double Trigger Chokes: IC & M (28-ga. fixed chokes are IC & M, .410 fixed chokes are F & F) Type of Sights: Brass Bead Length of Pull: $14^{1}/_{2}^{"}$ (Youth 13") Drop at Heel: $2^{1}/_{2}^{"}$ Drop at Comb: $1^{1}/_{2}^{"}$ Shell Extractor



UPLANDER FIELD - 12-GA, 3" ITEM # 31145 A-Grade satin walnut



DELUXE UPLANDER - 12-GA, 3" ITEM # 31105 A-Grade satin walnut



Uplanders feature a tang-mounted safety, which is automatically engaged when the gun is broken open.



The receiver is precision machined to exacting tolerances to ensure that the Uplander will hold up year-after-year.

STANDARD FEATURES

CHOKE TUBES: IC and M 12-ga. and 20-ga. (.410: F and F fixed). STOCK: A-Grade satin walnut (Supreme models AA-Grade gloss walnut). SIGHTS: Brass bead.

OPTIONAL FEATURES

CHOKE TUBES: Both flush and extended chokes available in C, IC, M, IM and F (12- and 20-gauge only).

Coach Gun & Coach Gun Supreme



The Stoeger Coach Gun comes in multiple finishes allowing competitors in Cowboy Action Shooting to match their needs. The Coach Gun also serves as an ideal home security gun, chambered for 2¾-inch and 3-inch shells. The Coach Gun Supreme, which comes with an upgraded walnut stock and recoil pad, is available in the following barrel/receiver finish combinations: polished nickel/polished nickel, polished blue/polished blue and stainless/polished blue.

An attractive trigger guard gives the Coach Gun and Coach Gun Supreme a more refined appearance, with smooth curves that compliment the triggers.

STANDARD FEATURES CHOKE: IC and M fixed. STOCK: A-Grade satin walnut. SIGHTS: Brass bead.



COACH GUNS					
ITEM Number	BARREL LENGTH	STOCK	GAUGE	OVERALL Length	AVERAGE Weight
S	ATIN WALNUT,	BLUE 2¾",	AND 3" (.410	2½", AND	3")
31400	20"	A-Grade	12	36.5"	6.5 lbs.
31405	20"	A-Grade	20	36.5"	6.4 lbs.
31410	20"	A-Grade	.410	36.5"	6.3 lbs.
31460*	20"	A-Grade	12	36.5"	6.5 lbs.

COMMON SPECIFICATIONS: Trigger: Double (except where noted with *) Chokes: Fixed IC & M (.410 fixed F & F) Type of Sights: Brass bead Length of Pull: $14^{1}/z^{*}$ Drop at heel: $2^{1}/z^{*}$ Drop at Comb: 11/2" Shell Extractor *Single trigger model





Supremes come with improved cylinder and modified choke tubes and wrench.

Double Defense & P-350 Defense Frontline of defense



NUMBER	CENUTIN		LENGTH	WEIGHT
	DOUBLE DEFE	NSE SIDE-BY-SIDE 12	2-GAUGE 2¾" AND	3"
31446	20" Ported	Black synthetic	36.5"	6.5 lbs.

COMMON SPECIFICATIONS: Chokes: IC/IC fixed Type of Sights: Fiber-optic front sight Length of Pull: $14^{1}/e^{*}$ Drop at heel: $2^{1}/2^{*}$ Drop at Comb: $1^{1}/e^{*}$ Shell Extractor




DOUBLE DEFENSE SIDE-BY-SIDE - 12-GA, 3"

Available in 12-gauge, the Stoeger Double Defense is ideal for use in tight quarters and tense situations. The traditional break-action and short, efficient design is easy to load and quick to deploy in an

STANDARD FEATURES

STOCK: Matte black-finished walnut. Trigger: Single trigger. SIGHTS: Fiber-optic front sight.







with two Picatinny rails for sighting aids and optics; the bottom Picatinny rail is factory-installed and will also accommodate accessories. (Optic not included)



COACH GUN SUPREME - 12-GA. 3" ITEM # 31482 AA-Grade gloss walnut, polished nickel

COACH GUN SUPREME - 12-GA, 3" ITEM # 31481 AA-Grade gloss walnut, polished blue

COACH GUN SUPREME

ITEM Number	BARREL Length	STOCK	GAUGE	OVERALL Length	AVERAGE Weight
	GLOSS	WALNUT, I	BLUE 2¾",	AND 3"	
31481	20"	AA-Grade	12	36.5"	6.5 lbs.
31487	20"	AA-Grade	20	36.5"	6.4 lbs.
GL	OSS WAL	NUT, POLISH	IED NICKEL	234", AND	3"
31482	20"	AA-Grade	12	36.5"	6.5 lbs.
31489	20"	AA-Grade	20	36.5"	6.4 lbs.
COACH	GUN DEL	JXE - GLOSS	S WALNUT,	BLUE 234"	, AND 3"
31488*	20"	AA-Grade	410	36.5"	6.5 lbs.

STANDARD FEATURES

CHOKE TUBES: IC and M. STOCK: AA-Grade gloss walnut. SIGHTS: Brass bead.

OPTIONAL FEATURES

CHOKE TUBES: Flush and Extended C, IC, M, IM and F.

The Double Defense Side-by-Side's 20-inch barrels are ported to keep muzzle climb down and fitted with a green, fiber-optic front sight for fast, sure target acquisition in low-light conditions. (Light not included)





tem Number	Barrel Length	Description	Gauge/ Caliber	Magazine Capacity
MODEL 3	3500 (with pat	tented Inertia System)		234", 3" and 312 " (screw-in chokes)
31800	28"	Realtree [®] Max-5 [™]	12	4+1
31801	26"	Realtree [®] Max-5 [™]	12	4+1
31810	28"	Black synthetic	12	4+1
31811	26"	Black synthetic	12	4+1
31815	28"	Satin Walnut	12	4+1
31868	28"	True Timber [®] DRT™	12	4+1
31885	26"	Realtree [®] Max-5 [™] /Burnt Bronze Cerakot	te 12	4+1
31849	26"	Waterfowl Special Realtree® Max-5™/Bu	rnt Bronze Cerakote	12 4+1
	3000 (with pat	tented Inertia System)		2¾" and 3" (screw-in chokes)
31831	26"	Black synthetic	12	4+1
31830	28"	Black synthetic	12	4+1
31837	26"	Realtree [®] Max-5 [™]	12	4+1
31838	28"	Realtree [®] Max-5 [™]	12	4+1
31886	28"	Realtree [®] Max-5 [™] /Burnt Bronze Cerakot		4+1
31930	28"	Satin Walnut/Burnt Bronze Cerakote	12	4+1
31866	28"	TrueTimber [®] DRT™	12	4+1
MODEL : 31855	3000 M3K 30 24"	GUN (with patented Inertia Syster Black synthetic	n) 12	2¾" and 3" (screw-in chokes) 4+1
MODEL 3 31829	3000 SPORTI 30"	NG (with patented Inertia System Black synthetic) 12	2¾" and 3" (screw-in chokes) 4+1
MODEL 3	3020 (with pat	tented Inertia System)		2¾" and 3" (screw-in chokes)
31822	28"	Realtree [®] Max-5™	20	4+1
31820	28"	Black synthetic	20	4+1
31865	28"	TrueTimber DRT™	20	4+1
P-3500	PUMP SHOTO	GUN		2¾", 3" and 3½" (screw-in chokes)
31880	28"	Black synthetic	12	4+1
31883	28"	Realtree [®] Max-5 [™]	12	4+1
31916	28"	TrueTimber [®] DRT™	12	4+1
	PUMP SHOT			2¾", 3" and 3½" (screw-in chokes)
31856	28"	Black synthetic	12	4+1
31921	28"	Satin Walnut	12	4+1
31814	28"	Realtree [®] Max-5 [™]	12	4+1
31915	28"	TrueTimber [®] DRT™	12	4+1
	(ST-EXT)	0/11 A Crada patie walant	10	2¾" and 3" (screw-in chokes)
31030	28"	0/U, A-Grade satin walnut	12	
31035	26"	0/U, A-Grade satin walnut	20	//: LEOE)
31040	28"	O/U, A-Grade satin walnut	20	(fixed F & F)
31042	26"	O/U, A-Grade satin walnut	.410	(fixed F & F)
31031	26"	O/U, A-Grade satin walnut	28	
		O/II A Owe de catin was lawyth O care ha	10/00	
31041	26" / 20"	O/U, A-Grade satin walnut - Combo	12 / 28	
31041 31022 31023	<u>26" / 20"</u> 28" 26"	0/U, A-Grade satin wainut - Combo 0/U, A-Grade satin walnut, nickel receiv 0/U, A-Grade satin walnut, nickel receiv	or 12	ied programs

22" 22"	Description EXT) 13" L.O.P. O/U, A-Grade satin walnut O/U, A-Grade satin walnut O/U, A-Grade satin walnut	20 .410	Capacity 2¾" and 3" (fixed F & F) (fixed F & F)
22" 22" DMPETITIO 30" JPREME (S	O/U, A-Grade satin walnut O/U, A-Grade satin walnut		(fixed F & F)
22")MPETITIO 30" JPREME (S	O/U, A-Grade satin walnut		
)MPETITIO 30" JPREME (S	N (SST-AE)	.410	(fixed F & F)
_{30"} JPREME (S			
_{30"} JPREME (S			
_{30"} JPREME (S			23/" and 2" (acrow in chakas)
JPREME (S		12	2¾" and 3" (screw-in chokes)
-		12	2¾" and 3" (screw-in chokes)
	O/U, AA-Grade gloss walnut	12	274 dilu 5 (Sci ew-ili cilokes)
26"	0/U, AA-Grade gloss walnut	20	
			23/" and 2" (aarow in abakaa)
JTBACK (S	-	10	2¾" and 3" (screw-in chokes)
-	,		
20"	0/U, A-Grade satin walnut		
	'		23/" and 2" (avt. caraw in shakes)
		12	2¾" and 3" (ext. screw-in chokes)
	/		and the second
30		20	
			2¾" and 3" (screw-in chokes)
30"	Single Barrel Trap Gun	12	
(DT-EXT)			2¾" and 3" (screw-in chokes)
28"	SxS, A-Grade satin walnut	12	1 0 17 18
-	SxS, A-Grade satin walnut		
-	1		(fixed F & F)
	·		(fixed F & F)
		.410	(fixed F & F)
YOUTH (D	-		2¾" and 3"
22"	SxS, A-Grade satin walnut, Short stock	.410	(fixed F & F)
SUPREME	(ST-EXT)		2¾" and 3" (screw-in chokes)
28"	SxS, AA-Grade gloss walnut	12	100
26"	SxS, AA-Grade gloss walnut	20	in the sta
FENGE (CT	-FYT)	23/" and	1 3" (fixed chokes)
-	-		(fixed IC)
-	-		(fixed IC)
	·		
			l 3" (screw-in chokes)
			31
20"	SxS, AA-Grade gloss walnut, blue	.410	(fixed F & F)
			1 3" (fixed chokes)
			(fixed IC & M)
20"		20	(fixed IC & M)
20"	SxS, A-Grade satin walnut, blue	.410	(fixed F & F)
(ST_FYT)	23/" and	1 3" (fixed chokes)
-	-		(fixed IC & M)
	20" 20" 20" 20" 20" 20" 20" 20"	20" O/U, A-Grade satin walnut 20" O/U, A-Grade satin walnut 20" O/U, A-Grade satin walnut 30" Single Barrel Trap Gun 4 (DT-EXT) 28" SxS, A-Grade satin walnut 26" SxS, AA-Grade gloss walnut 20" SxS, AA-Grade gloss walnut, blue 20" SxS, AA-Grade gloss walnut, polished nic 20" SxS, AA-Grade glo	$20^{"}$ O/U, A-Grade satin walnut12 $20^{"}$ O/U, Black finished walnut / polished nickel12 $20^{"}$ O/U, A-Grade satin walnut20DNGFOWLER (ST-EXT) $30^{"}$ O/U, A-Grade satin walnut12 $30^{"}$ O/U, A-Grade satin walnut20 $30^{"}$ O/U, A-Grade satin walnut20 $30^{"}$ Single Barrel Trap Gun12 $30^{"}$ Single Barrel Trap Gun12 $28^{"}$ SxS, A-Grade satin walnut20 $28^{"}$ SxS, A-Grade satin walnut20 $28^{"}$ SxS, A-Grade satin walnut20 $26^{"}$ SxS, A-Grade satin walnut20 $26^{"}$ SxS, A-Grade satin walnut410YOUTH (DT-EXT)22SxS, A-Grade satin walnut, Short stock.410YOUTH (DT-EXT)22SxS, A-Grade gloss walnut12 $26^{"}$ SxS, AA-Grade gloss walnut1220SUPREME (ST-EXT)23/" and $20^{"}$ SxS, AA-Grade gloss walnut12 $20^{"}$ SxS, AA-Grade gloss walnut12 $20^{"}$ SxS, AA-Grade gloss walnut, blue12 $20^{"}$ SxS, AA-Grade gloss walnut, blue12 $20^{"}$ SxS, AA-Grade gloss walnut, blue20 $20^{"}$ SxS, AA-Grade gloss walnut, blue12 $20^{"}$ SxS, AA-Grade gloss walnut, blue12 $20^{"}$ SxS, AA-Grade gloss walnut, blue.410N (DT-EXT)23/4" and $20^{"}$ SxS, AA-Grade gloss walnut, blue.

tem lumber		Description	Gauge/ Caliber	
HOKE TUE	BES (fits	s P350 / M2000 / M3000	′ M3500)	
VU60001	F	Choke Tube	12	
VU60011	IM	Choke Tube	12	
VU60002	М	Choke Tube	12	
VU60003	IC	Choke Tube	12	
VU60004	С	Choke Tube	12	
VU60000	XFT	Extended Turkey Choke Tube	12	
XTENDED	CHOKE	TUBES (fits SxS & O/U &	SB)	
339192A	С	Choke Tube Extended	12	
339193A	IC	Choke Tube Extended	12	
33194	М	Choke Tube Extended	12	
33195	IM	Choke Tube Extended	12	
33196	F	Choke Tube Extended	12	
39197	С	Choke Tube Extended	20	
39189	IC	Choke Tube Extended	20	
39199	М	Choke Tube Extended	20	
39200	IM	Choke Tube Extended	20	
39201	F	Choke Tube Extended	20	
HOKE TUE	BES (fits	s SxS & O/U & SB)		
33200	F	Choke Tube	12	
33201	IM	Choke Tube	12	
33202	М	Choke Tube	12	
33203	IC	Choke Tube	12	
33204	С	Choke Tube	12	
33205	E E	Choke Tube	20	
33206	IM	Choke Tube	20	
33207	М	Choke Tube	20	
33208	IC	Choke Tube	20	
33209	С	Choke Tube	20	
IG8000000	1.20	Choke Wrench	12	

STOCK ASSEMBLY (fits M3000 / M3500)

Choke Wrench

33390 SteadyGrip[™] Stock - Black synthetic




STEADYGRIP™ STOCKS The SteadyGrip[™] stock allows for one-handed control of the M3000 and M3500. * ONLY Available in black

This program supersedes all previously issued programs. Price in effect is price at time of shipment.

20





IG8001000



PHILOSOPHY

A rifle from Stoeger AIRGUNS is exclusive, sensual, provocative and always unmistakably Italian. In fact all the Stoeger AIRGUNS models are entirely, idealized and designed in Italy. Stoeger AIRGUNS has always been the creator of dynamic and unrivaled rifles.

Stoeger AIRGUNS rifles are incomparable through their blend of:

Fascinating Design Supreme Shooting Ergonomics **Innovative Style Technological Capability** Quality



a 4x32 mm scope.





Automatic ambidextrous safety includes ProAdaptive Checkering

GENETICALLY ENGINEERED

The DNA of a Stoeger AIRGUNS is extrapolated from some of the most elite pedigrees and performance collaborations in shooting. From its Italian precision to American strength, a Stoeger is truly one of the most refined and valued on the airgun market today. With a Stoeger, wether novice or expert, you'll be performing with the best of them.

S3000-C AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 495 fps muzzle velocity with alloy pellets, ACTION: Powerful spring piston, break-action TRIGGER: Double-stage, factory set **SAFETY:** Automatic ambidextrous FINISH: Black Synthetic **PROADAPTIVE CHECKERING FRONT SIGHT:** Red fiber-optic **REAR SIGHT:** Fiber-optic, fully adjustable for elevation and windage SCOPE: Includes 4 x 32 mm scope (Combos ONLY; scope not factory mounted)

The S3000-C demonstrates Stoeger's commitment to innovation and excellence by incorporating the latest in airgun technology. Advanced ergonomics and ProAdaptive Checkering make the gun feel as though it was made just for you. Aiming becomes almost instinctive. The fully adjustable rear sight and fiber-optic front sight offer a clear sight picture, even in low light. An ambidextrous safety accommodates both rightand left-handed shooters. The state-of-the-art recoil pad enhances shooting enjoyment. Combo includes



Recoil-absorbing airgun buttpad with anti-slip ProAdaptive Checkering



Fiber-optic front sight with red insert

S3000-C COMPACT AIRGUN

ITEM NUMBER	DESCRIPTION			
	S3000-C .177 CAL, UP TO 495FPS*			
S80513C	Black Synthetic Combo with 4 x 32 Scope			
S80503C	Black Synthetic Stock with Fiber-Optic Sights			
COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 495 fps with alloy pellet Trigger: Two-stage adjustable Type of Scope: combos include 4 x 32 Scope				

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

AIRGUNS

Perfect Feeling

S4000-L



Innovation, Technology and Style are the three principles behind a fully new concept. Stoeger AIRGUNS designer's challenge has been to develop and implement something special that could convey new emotions. The unique design and ergonomic shapes makes the air rifle fit perfectly to the shooter.





new









PROADAPTIVE

Multi-Grip System Finally, shooters can adapt their air rifle for personalized style and shooting comfort. Choose between an embossed grip or Stoeger's innovative ProAdaptive Checkering.



ProAdaptive Checkering is the most versatile, efficient and innovative stock checkering available. It allows shooters to feel like the air gun is a natural extension of their bodies, resulting in quick, instinctive aiming and enhanced shooting comfort. The unique checkering progression actively and comfortably "fits" the gun to the shooter in any weather or shooting venue.

S4000-E AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets (1000 fps with lead	
pellets)	
ACTION: Spring	
TRIGGER: Two-stage adjustable	
SAFETY: Automatic ambidextrous	-
FINISH: Black Synthetic	
PROADAPTIVE CHECKERING	
MULTI-GRIP SYSTEM: Interchangeable blue and orange embossed grips included	_
FRONT SIGHT: Interchangeable red and orange fiber-optic inserts	C
REAR SIGHT: Fiber-optic, fully adjustable for elevation and windage	(1
SCOPE: Includes 4 x 32 mm scope (Combos ONLY; scope not factory mounted)	Х

NUMBER	DESCRIPTION		
	S4000-L .177 CAL, UP TO 1200 FPS*		
S82001L	Black Synthetic Stock with Fiber-Optic Sights		
S82011L	Black Synthetic Combo with 4 x 32 Scope		
	S4000-L .177 CAL, UP TO 495 FPS*		
S82001LE	Black Synthetic Stock with Fiber-Optic Sights		
S82011LE	Black Synthetic Combo with 4 x 32 Scope		

S4000-L FULL SIZE AIRGUN

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 495-1200 fps with alloy pellet (1000 fps with lead pellet) **Trigger:** Two-stage adjustable **Type of Scope:** combos include 4 x 32 Scope





AIRGUNS

S8000-TAC

Driven to Perfection







The S8000-TAC's black synthetic, tactical-style stock features buttstock spacers that can be added or removed from in front of the recoil pad to adjust the airgun's length of pull (LOP) and to add a rear sling attachment.



The tactical-style stock employs integral Picatinny rails, making the attachment of accessories like lasers, lights, bipods, and sling studs quick and easy.



For absolute rock-solid shooting steadiness optional bipod legs, available as an accessory from Stoeger, can be quickly and easily fitted to the S8000-TAC's forend.

S8000-TAC AIRGUN COMBO .177 CAL, 1200 FPS & .22 CAL, 1000 FPS (Includes 3-9 x 40 scope)





The S8000-TAC airgun features a tactical synthetic stock with integrated Picatinny rails attached to both sides of the forend and receiver for mounting accessories. The action cocks with a break-open barrel.

......

S8000-TAC AIRGUN

ITEM NUMBER	DESCRIPTION			
	S8000-TAC .177 CAL, UP TO 1200 FPS*			
S31700TAC	Black Synthetic Combo with 3-9 x 40 Scope			
	S8000-TAC .22 CAL, UP TO 1000 FPS*			
S31701TAC	Black Synthetic Combo with 3-9 x 40 Scope			

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (1000 fps with lead pellet) Caliber: .22 *Velocity: up to 1000 fps with alloy pellet (800 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 3-9 x 40 adjustable objective scope

FPS = FEET PER SECOND

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

S8000-TAC STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets (1000 fps with lead pellets), .22 Cal. up to 1000 fps muzzle velocity with alloy pellets (800 fps with lead pellets) **ACTION:** Powerful spring piston, Underlever cocking **TRIGGER:** Two-stage adjustable **SAFETY:** Automatic ambidextrous FINISH: Black Synthetic **SCOPE:** Includes 3-9 x 40 mm adjustable objective scope (not factory mounted)



.177 CAL, 1200 FPS (Includes 3-9 x 40mm scope)







The single-shot flip-up magazine is easily accessible and a snap to load. It is located just behind the fully-adjustable target rear sight.

S6000-A UNDERLEVER AIRGUN STANDARD FEATURES

VELOCITY: .177 Cal. up to 1200 fps muzzle velocity with alloy pellets (1000 fps with lead pellets), ACTION: Powerful spring piston, Underlever cocking **TRIGGER:** Two-stage adjustable **SAFETY:** Automatic ambidextrous FINISH: Hardwood FRONT SIGHT: Hooded front sight with red fiber-optic insert **REAR SIGHT:** Fiber-optic, fully adjustable for elevation and windage SCOPE: Includes 3-9 x 40 mm scope (Combos ONLY; scope not factory mounted)

6

tages over break-barrels. These advantages are perfectly embodied by the Stoeger S6000-A airgun. Firstly, this design offers perfect rigidity between the barrel and the receiver, which positively affects accuracy. Then, there is considerably less wear to the airgun's most important part—where the barrel meets the receiver and at the hinge-pin. Also, the extra weight of the cocking lever is ideally placed under the barrel, making the rifle steadier in your hands when you shoot. Try the S6000-A yourself-it will make you a fan.



UNDERLEVER COCKING

> The S6000-A has a fixed barrel, which means that every shot is mechanically consistent with the next one. The underlever is long, requiring less effort to operate it. When not in use, the underlever locks positively under the barrel and adds balance to the rifle.

S6000-A UNDERLEVER AIRGUN

DESCRIPTION

S6000-A .177 CAL, UP TO 1200 FPS* Hardwood Stock Combo with 3-9 x 40 Scope

COMMON SPECIFICATIONS: Caliber: .177 *Velocity: up to 1200 fps with alloy pellet (1000 fps with lead pellet) Trigger: Two-stage adjustable Type of Scope: combos include 3-9 x 40 Scope

FPS = FFFT PFR SECOND

ITEM Number

S70015A

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

AIRGUNS

XP4 Ergonomic & Easy, Ambidextrous Handling Up to 495 f/s



An adjustable rear sight with a fiber optic insert comes standard on the XP4 pistol.

Pellets

ACCURACY TO MEET EVERY REQUIREMENT FOR AIR RIFLES

Every shooter has specific requirements for his airgun when it comes to the ammunition. Our finely classified programme with a wide range of pellet shapes and weights will satisfy every need. Accuracy is a combination of several variables, the quality of the pellets is most important. Stoeger pellets are Made in Germany with high tech technology.

PRACTICE TARGET Lightweight accurate pellet for training and hobby shooting. Meets all underlying requirements. For universal use, at an

extremely favourable price.



Pr	roduct Number / Model	Caliber	Shape	Quantity
54	45015	.177	Flat	500 pcs

GREAT PENETRATION

Medium-weight, very accurate pellet for hunting and precision shooting at medium ranges. Aerodynamic design for flat trajectories and perfect penetration.



Product Number / Model	Caliber	Shape	Quantity
545035 / CLAMPACK	.177	POINT	500 pcs
555032 / CLAMPACK	.22	POINT	200 pcs

XP4 AIR PISTOL DESCRIPTION

ITEM Number

20005

.177 CAL, UP TO 410 FPS* Black Synthetic with Fiber-Optic Sights

COMMON SPECIFICATIONS: **Caliber:** .177 ***Velocity:** up to 410 fps with alloy pellet (360 fps with lead pellet) **Trigger:** Two-stage **Type of Sights:** Fiber-optic (rear windage and elevation adjustable)

FPS = FEET PER SECOND Specifications and prices subject to change without notice.

XP4 AIR PISTOL STANDARD FEATURES

VELOCITY: .177 Cal. up to 495 fps muzzle velocity with alloy pellets (360 fps with lead pellets) ACTION: Single-pump, pneumatic TRIGGER: Two-stage SAFETY: Automatic ambidextrous FINISH: Black Synthetic SIGHTS: Fiber-optic (rear windage and elevation adjustable) INTEGRAL ACCESSORIES RAIL

The Stoeger XP4 air pistol is the culmination of our extensive firearms lineage. The XP4 has been designed for easy, ambidextrous handling. The ergonomic, composite frame is light and extremely attractive. The .177 caliber XP4 employs a recoilless, single-shot, pre-compressed propulsion technology for optimal shooting comfort and accuracy. A two-stage trigger with automatic safety is standard. High-visibility, precision fiber-optic sights with windage and elevation adjustable rearsight are included as well. The XP4 boasts an integral slide and accessories rail for laser devices or lights. X-SPORT pellets are recommended for maximum efficiency with the XP4.



Front sight with fiber optic - Slide integral mounting rail



Rail underneath the barrel



Automatic safety Double stage trigger



5YEAR

Adjustable rear sight with fiber optic insert

8



MAX SHOCK

Heavy, accurate hunting pellet for medium ranges. High impact and penetration with maximum shock effect, with blood grooves.





Product Number / Model	Caliber	Shape	Quantity
545065 / CLAMPACK	.177	POINT	300 pcs
30348 / CLAMPACK	.22	POINT	200 pcs

MAX PENETRATION

Heavy, exceptionally accurate pellet for long ranges. No leadfouling, improved drive in barrel, no contact with lead thanks to special copper coating (20% harder than comparable lead pellets). First-class aerodynamic design for high impact and penetration. Low deformation of pellet. Tight shot groups.

500

Conception Pellets Maximum Penetration Caliber 4, Smm, 177, Beg 10, 103 er Maximum Penetration

Product Number / Model	Caliber	Shape	Quantity
545055	.177	DOME	500 pcs
555052	.22	DOME	200 pcs

Every Day Tough

Accessorie From Pellets & Targets to Soft Gun Cases				2020 Authorized Comm
o Soft Gun Cases			ltem Number	Description
	3-9x40 AO scope		S3000-C <u>S80503C</u> S80513C	Compact Stock with ProAdaptive Checkerin COMPACT BLACK SYNTHETIC STOCK WITH FIBER-OPTIC SIGHTS COMPACT BLACK SYNTHETIC STOCK WITH FIBER-OPTIC SIGHTS AN
4x32 scope			S4000-L <u>S82001L</u> <u>S82011L</u>	Advanced Ergonomics Stock with ProAdap Advanced Ergonomics Black Synthetic Stock with Fiber-O Adv. Ergonomics Black Synthetic Stock with Fiber-Optic Si
			<u> </u>	ADVANCED ERGONOMICS BLACK SYNTHETIC STOCK WITH FIBER-OF ADV. ERGONOMICS BLACK SYNTHETIC STOCK WITH FIBER-OPTIC SI
	4x32 compact scope with illuminated retic		S4000-E <u>S82061E</u> <u>S82071E</u>	Advanced Ergonomics Stock with Sporting Advanced Ergonomics Black synthetic stock with Fiber-or Adv. Ergonomics Black synthetic stock with Fiber-optic si
000			<u>\$82071EE</u>	ADV. ERGONOMICS BLACK SYNTHETIC STOCK WITH FIBER-OPTIC SI
Magnum scope mount	Mount for Picatinny rail		S8000-TAC <u>S31700TAC</u> <u>S31701TAC</u>	C TACTICAL STOCK BLACK SYNTHETIC TACTICAL STOCK AND 3-9 X 40 SCOPE .177 CAL./ BLACK SYNTHETIC TACTICAL STOCK AND 3-9 X 40 SCOPE .22 CAL./1
			S6000-A S70015A	Underlever HARDWOOD MONTE CARLO-STYLE STOCK WITH FIBER-OPTIC SIG
S8000-TAC Bipod For Picatinny rail	S8000-TAC Sling Attachment StuD For Picatinny rail		XP4 <u>20005</u>	Air Pistol 495 FPS .177 Cal. BLACK SYNTHETIC
A see	Target trap	Target	Stoeger Ac	cessories
1			40010	SCOPE 4X32 1"
			<u>40012</u> 40015	SCOPE 3X-9X-40A0 1" COMPACT SCOPE 4X32 RED GREEN DOT RETICLE 1"
	S8000-TAC Sling		40013	1-PC AIRGUN SCOPE MOUNT 1"
			40011	2-PC AIRGUN SCOPE RINGS 1"
			40236	SAG120 XL SOFT BLUE BAG 120CM (FOR X5/X10/X20/ATAC)
			40166	AIRGUN CASE W/SLING X50 & ATAC BLACK XL 130CM
			40200S	SLING FOR ATAC
	Aller Aller A		50100	BIPOD FOR ATAC
			<u>50200</u>	STUD FOR SLING/ATAC
			40104	AIRGUN CLEANING ROPE 4.5MM .177
H.			40105	AIRGUN CLEANING ROPE 4.5MM .22
		Spinning target	<u>40111</u> 40101	AIRGUN ST3 SPINNER TARGET - 3 POSITIONS AIRGUN ST1 SPINNER TARGET - 1 POSITIONS
			40102	AIRGUN TARGET TRAP 14X14 CM
	Stoeger AIRGUNS		40103	AIRGUN TARGET 14X14 CM - 100 PCS
			Stooger De	
			Stoeger Pe 545015	PELLETS 4.5MM .177 X-SPORT 48G/7.48GR FLAT (500 PCS)
	Soft case SAG 120 XL / SAG 130 XL - Black		<u>545035</u>	PELLETS 4.5MM .177 X-HUNTER 56G/8.64GR POINT (500 PCS)
			545055	PELLETS 4.5MM .177 X-POWER 66G/10.19GR DOME (500 PCS)
	THINK SHOW AND		545065	PELLETS 4.5MM .177 X-MAGNUM 75G/11.57GR POINT (300 PCS)
			555032	PELLETS 5.5MM .22 X-HUNTER 102G/15.74GR POINT (200 PCS)
			555052	PELLETS 5.5MM .22 X-POWER 137G/21.14GR DOME (200 PCS)
			30348	PELLETS 5.5MM .22 X-MAGNUM 111G/17.13GR POINT (200 PCS)

Soft case SAG 120 / SAG 130 - Blue

ized Commercial Dealer Price List

	Code
oring	
ering	
ITS .177 CAL./495 FPS	686775075148
S AND 4 X 32 SCOPE .177 CAL./495 FPS	686775077104
laptive Checkering	
ER-OPTIC SIGHTS .177 CAL./1200 FPS	686775077166
IC SIGHTS AND 4 X 32 SCOPE .177 CAL./1200 FPS	686775077173
R-OPTIC SIGHTS .177 CAL./495 FPS	686775075162
IC SIGHTS AND 4 X 32 SCOPE .177 CAL./495 FPS	686775075179
ing Barrel	
ER-OPTIC SIGHTS .177 CAL/1200 FPS	686775077180
IC SIGHTS AND 4 X 32 SCOPE .177 CAL./1200 FPS	686775077197
IC SIGHTS AND 4 X 32 SCOPE .177 CAL./495 FPS	686775075186
CAL./1200 FPS	686775077203
AL./1000 FPS	686775077210

CK WITH FIBER-OPTIC SIGHTS AND 3-9 X 40 SCOPE .177 CAL/1200 FPS

686775068942

UPC

	686775022227
	686775022234
	686775050091
	686775026492
	686775026508
C)	686775053979
	686775034527
	686775034534
	686775034541
	686775034558
	686775056536
	686775056543
	686775031557
	686775031564
	686775031571
	686775031588

S)	686775027284
PCS)	037084303703
PCS)	686775027338
00 PCS)	037084303697
0 PCS)	037084303765
PCS)	686775027406
00 PCS)	037084303604

STOEGER CANADA SALES REPRESENTATIVES

stoegeralAGLINS

ALBERTA & BC

Fisher Marketing Ltd.

226208 - 22 Street West Foothills AB T1S 3N2 T: (403) 256-7047 F: (403) 256-7319 E: terry@fishermarketing.ca E: chad@fishermarketing.ca

MANITOBA, SASKATCHEWAN ONTARIO & LAKEHEAD

On Target

124 Sawchuk Dr. St Andrews, MB R1A 4B4 T: (204) 771-2001 E: mark@redagencies.ca Upper Canada Sports Associates 2738 Moyer Street Fenwick, ON LOS 1C0 T: (905) 562-0162 F: (905) 562-0165 E: office@uppercanadasports.ca QUEBEC

Agence Luc Lamirande Inc. 25 rue des Plaines Victoriaville, QC G6P 2C8 T: (819) 352-1636 E: lamirande@sympatico.ca ATLANTIC CANADA

Stoeger Canada (1990) Ltd. 1010 Thornton Road South Oshawa ON L1J 7E2 T: (905) 436-9077 F: (905) 436-9079 E: pbonifacio@stoegercanada.ca

BERETTA HOLDING Stoeger Airguns is a Beretta Group brand.

The illustrations and descriptions given in this brochure are intended as a general guide only, and must not be taken as binding. The Company, therefore, reserves the right to make changes, at any moment and without prior notice, necessary to improve the product and to meet either manufacturing or sales requirements. Stoeger Canada reserves the right to apply changes to prices and configurations at any time and without prior notice. Copyright Stoeger Industries on images, texts and graphics (if not otherwise stated). All rights are reserved.