


Your Franchi firearm is backed by a 7-Year Warranty.

DUSTRY-LEADING

A 7-Year Warranty guarantees that if anything should go wrong, under normal use, your firearm will be serviced for you by skilled gunsmiths at our national firearm service center. While your Franchi is under warranty, we will assume the cost of parts, labor and shipping required to get your firearm back to you and working perfectly.

🎐 @FranchiCanada #FeelsRigнт



STANDARD FEATURES

range.

CHOKE TUBES: IC, M, F and wrench. FINISHES: A-Grade Satin Walnut, Realtree[®] Max-5[™], True Timber[®] DTR™, or Black Synthetic. SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES

TSA RECOIL PADS: Three options to customize length-of-pull. EXTENDED CHOKE TUBES: C, IC, M, IM, F

41060 26" Synthetic 47.25" 6.8 lbs 41065 26" Realtree® Max-5™ 47.25" 6.8 lbs 41071 26" True Timber® DRT™ 47.25" 6.8 lbs 41071 26" True Timber® DRT™ 47.25" 6.8 lbs 41071 26" True Timber® DRT™ 47.25" 6.8 lbs 41055 28" A-Grade Satin Walnut 49.25" 7.0 lbs. 41025 28" Synthetic 49.25" 7.0 lbs. 41040 26" Realtree® Max-5™ 47.25" 7.0 lbs. 41035 28" Realtree® Max-5™ 49.25" 7.0 lbs. 41031 26" True Timber® DRT™ 47.25" 6.8 lbs	41075	26"	A-Grade Satin Walnut	47.25"	6.8 lbs.
41071 26" True Timber® DRT™ 47.25" 6.8 lbs 12-GAUGE 2¾" AND 3" 41055 28" A-Grade Satin Walnut 49.25" 7.0 lbs. 41025 28" Synthetic 49.25" 7.0 lbs. 41040 26" Realtree® Max-5™ 47.25" 7.0 lbs. 41035 28" Realtree® Max-5™ 49.25" 7.0 lbs.	41060	26"	Synthetic	47.25"	6.8 lbs
12-GAUGE 2¾" AND 3" 41055 28" A-Grade Satin Walnut 49.25" 7.0 lbs. 41025 28" Synthetic 49.25" 7.0 lbs. 41040 26" Realtree® Max-5™ 47.25" 7.0 lbs. 41035 28" Realtree® Max-5™ 49.25" 7.0 lbs.	41065	26"	Realtree [®] Max-5™	47.25"	6.8 lbs
41055 28" A-Grade Satin Walnut 49.25" 7.0 lbs. 41025 28" Synthetic 49.25" 7.0 lbs. 41040 26" Realtree® Max-5TM 47.25" 7.0 lbs. 41035 28" Realtree® Max-5TM 49.25" 7.0 lbs.	41071	26"	True Timber® DRT™	47.25"	6.8 lbs
41025 28" Synthetic 49.25" 7.0 lbs. 41040 26" Realtree® Max-5™ 47.25" 7.0 lbs. 41035 28" Realtree® Max-5™ 49.25" 7.0 lbs.			12-GAUGE 234" AND 3"		
41040 26" Realtree® Max-5™ 47.25" 7.0 lbs. 41035 28" Realtree® Max-5™ 49.25" 7.0 lbs.	41055	28"	A-Grade Satin Walnut	49.25"	7.0 lbs.
41035 28" Realtree® Max-5™ 49.25" 7.0 lbs.	41025	28"	Synthetic	49.25"	7.0 lbs.
	41040	26"	Realtree [®] Max-5™	47.25"	7.0 lbs.
41031 26" True Timber® DRT™ 47.25" 6.8 lbs	41035	28"	Realtree [®] Max-5™	49.25"	7.0 lbs.
	41031	26"	True Timber® DRT™	47.25"	6.8 lbs

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,F and wrench Type of Sights: Fiber-optic red-bar front sight Length-of-Pull: 14½" Drop at heel: Adjustable 2 - 2¹/₂" Drop at Comb: 1¹/₂" Minimum recommended load: 3-dram, 1¹/₈ ounce; 20-Gauge ⁷/₈ ounce, 1200 FPS

ITEM NUMBER	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
		12-GAUGE 234", 3" AND 31/2"		
41095	28"	Synthetic	49.25"	7.0 lbs.
41105	26"	Realtree [®] Max-5™	47.25"	7.0 lbs.
41100	28"	Realtree [®] Max-5™	49.25"	7.0 lbs.
41091	28"	True Timber® DRT™	49.25"	7.0 lbs.

ITEM NUMBER	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
		12-GAUGE 2¾" AND 3"		
40845	28"	Black Synthetic	49.25"	6.5 lbs.
A0454200	28"	Realtree [®] Max-5™	49.25"	6.5 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,F and wrench **Type of Sights:** Fiber optic red-bar front sight **Length-of-Pull:** 14^{3} /s" **Drop at heel:** Adjustable 2 - 2¹/2" **Drop at Comb:** 1^{1} /2" **Minimum recommended load:** 3-dram, 1¹/8 ounce

OPTIONAL FEATURES

TSA RECOIL PADS: Three options to customize length-of-pull. Gel insert sold separately. EXTENDED CHOKE TUBES: C, IC, M, IM, F.

NEW

and the set of the

Affinity Elite Series – Upland

Light, Quick, Reliable and Elegant

Upland hunters cover a lot of ground in pursuit of quick-flushing, fast-flying game, making light weight and consistent performance essential qualities in a fine upland shotgun. Franchi engineers developed the Affinity Elite Series Upland shotguns with this in mind and went the extra mile to add even more features to create a superior, hunter-friendly shotgun. Fiber-optic sights rapidly get you on target in variable light situations. Wide loading ports team with large bolt releases and oversized handles for easy operation when wearing gloves. TSA recoil pads dramatically reduce felt recoil. Stocks are adjustable for drop and cast, ensuring optimal fit and feel. All this in a handsome, balanced and ergonomic shotgun made especially for upland hunters.

> AFFINITY 3 ELITE, UPLAND - 12-GA, 3" ITEM # 41310 A-Grade Satin Walnut, Gun Metal Gray Cerakote

> > AFFINITY 3 ELITE, UPLAND - 20-GA, 3" ITEM # 41315 A-Grade Satin Walnut, Gun Metal Gray Cerakote

STANDARD FEATURES

FLUSH CHOKE TUBES: M and wrench. FINISHES: A-Grade satin walnut/Gun Metal Gray Cerakote. SHIM KIT: For adjustment of drop and cast. FRANCHI PRECISION CONE BOLT CONTROLS: Oversized and aggressively textured. TRUGLO DUAL-Colour FIBER-OPTIC FRONT SIGHT

OPTIONAL FEATURES

TSA RECOIL PADS: Three options to customize length of pull. FLUSH CHOKE TUBES: C, IC, M, IM, F. EXTENDED CHOKE TUBES: C, IC, M, F.

AFFINITY 3 ELITE SERIES - UPLAND

Affinity Elite Series shotguns feature Franchi Precision Cones for superior patterning and reduced recoil.

ITEM NUMBER	BARREL Length	STOCK	OVERALL Length	AVERAGE WEIGHT
		12-GAUGE 234" AND 3"		
41310	28"	A-Grade satin walnut	50"	6.9 lbs.
		20-GAUGE 234" AND 3"		
41315	26"	A-Grade satin walnut	48"	6.0 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Flush Chokes: M and wrench Type of Sights: TRUGLO® dual-colour fiber-optic bar front sight Length-of-Pull: 14%¹/₄ Drop at Heel: Adjustable 2 - 2¹/₅" Drop at Comb: 1¹/₈" Minimum recommended load: 3-dram, 1¹/₈ ounce; 20-Gauge ⁷/₈ ounce, 1200 FPS.



Oversized, and aggressively textured bolt handles and bolt releases team with an enlarged loading port to aid operation and loading while wearing gloves.









The Affinity Compact comes standard with four ¼-inch spacers that allow the length-ofpull to be adjusted from $12\frac{3}{8}$ " to $13\frac{3}{8}$ " in guarter-inch increments.

AFFINITY CATALYST

STOCK

20-GAUGE 234" AND 3"

A-Grade Satin Walnut

12-GAUGE 234" AND 3"

A-Grade Satin Walnut

Type of Sights: Fiber-optic red-bar front sight Length-of-Pull: $13/_8$ " Drop at heel: $1/_2$ " Drop at Comb: $1/_4$ " Minimum recommended load: 3-dram, $1/_8$ ounce

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC, M, F and wrench

OVERALL LENGTH

46.5"

48.5"

AVERAGE Weight

lbs.

6.6 lbs.

ļ	ITEM Number	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
			12-GAUGE 2 ³ /4" AND	0 3"	
	41020	26"	Realtree [®] Max-5™	45.375"-46.375"	6.3 lbs.
			20-GAUGE 234" AND	D 3"	
	41080	24"	Black synthetic	43.375"-44.375"	5.5 lbs.
	41090	26"	Realtree [®] Max-5™	45.375"-46.375"	5.6 lbs.

AFFINITY 3 COMPACT

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M and wrench Type of Sights: Fiber optic red-bar front sight Length-of-Pull: Adjustable 12³/₈"-13³/₈" Drop at heel: Adjustable 2 - 2¹/₂" Drop at Comb: 1¹/₂" Minimum recommended load: 3-dram, 11/8 ounce; 20-Gauge 7/8 ounce, 1200 FPS.

STANDARD FEATURES

CHOKE TUBES: IC, M, and wrench. FINISHES: Max-5[™], or Black Synthetic. SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES EXTENDED CHOKE TUBES: C, IC, M, IM, F. STANDARD BUTTSTOCK

AFFINITY CATALYST

The Ultimate Auto-Loader for Ladies



ITEM NUMBER

40873

40872

BARREL Length

26"

28"

Take the popular Affinity, optimize it for women's physical structure and you get the Affinity Catalyst. No, it is not a renamed youth model, as is true with other brands; it is the result of a scientific study aimed to deliver professional-level performance for women. The heart of the concept is the stock-drop, cast, pitch and length of pull. As women's cheek-bones sit higher than men's, the comb is raised to achieve eyealignment with no need to lift the head. Also, the special cast makes it easy to shoulder. In all, the Affinity Catalyst will give women the feel and function that serious shooters expect of their semiauto.

STANDARD FEATURES CHOKE TUBES: IC. M. F. and wrench.

FINISHES: A-Grade satin walnut. SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES

to customize length-of-pull. EX TENDED CHOKE TUBES: C, IC, M IM F







Meet the Affinity 3 Sporting - A great-looking, clays-smashing semi-auto loaded with features typically found on shotguns costing far more. The receiver sports a white anodized finish that pleasantly highlights the chrome-accented bolt and trigger, as well as the oiled-walnut stock and forend. Barrel porting teams with the TSA recoil pad and our exclusive Inertia Driven® technology to make the Affinity 3 Sporting comfortable to shoot during back-to-back matches. Adjustable for drop and cast, the ergonomic design is optimized for the fit and performance needed during extended use.





AFFINITY 3 SPORTING

ITEM Number	BARREL LENGTH	STOCK	OVERALL LENGTH	AVERAGE WEIGHT
		20-GAUGE 234" AND 3"		
41130	28"	A-Grade Satin Walnut	49.5"	6.2 lbs.
		12-GAUGE 2¾" AND 3"		
41120	30"	A-Grade Satin Walnut	51.5"	7.1 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Extended Chokes: IC,M,F and wrench Type of Sights: Fiber optic red-bar front sight Length-of-Pull: 14 1/2" Drop at Heel: Adjustable 2 - 2 1/2" Drop at Comb: 1 1/2" Minimum recommended load: 3-dram, 1 1/8 ounce.

TSA RECOIL PADS: Three options



AFFINITY 3 SPORTING - 12-GA, 3" ITEM # 41120 A-Grade Satin Walnut





The matte-blue, chrome-lined barrel has a raised vent rib and is ported to reduce recoil and muzzle rise. A fiber-optic sight aids target acquisition, and the included Mobil choke system produces consistent shot patterns.

A polished-chrome bolt with an oversized handle sits inside a receiver sporting white anodized finish and a large bolt-release button. The wide loading port makes for quick, easy loading.

STANDARD FEATURES

CHOKE TUBES: IC, M, F, and wrench. FINISHES: A-Grade satin walnut. **SIDE PLATE:** Etched game scenes featuring the Labrador Retriever SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES

TSA RECOIL PADS: Three options to customize length-of-pull. CHOKE TUBES: C, IM EX TENDED CHOKE TUBES: C, IC, M, IM.F.

X AFFINITY 3 COMPANION SERIES - GERMAN POINT

Hunting Is Better With a Trusted Companion

The Affinity Companion celebrates the bond between gun dog and

receiver. The engraving is complemented by a handsome, AA-Grade satin walnut stock and forend with cut checkering, and a gold trigger

inside a black trigger guard. The Companion's large bolt controls and

wide loading port facilitate easy operation with gloved hands. Inertia

Three pattern-enhancing Mobil chokes included.

Driven® technology teams with a TSA recoil pad to make the Companion

a joy to shoot and hunt with. The chrome-lined barrel sports a vented rib.

hunter in the form of a beautiful, high-performance shotgun sporting detailed engravings of a German Shorthaired Pointer on its nickel-coloured

Companion Series Celebrates Gun Dogs

The Franchi Companion Series continues to highlight beloved hunting dogs in its annual series of artful engravings on popular Franchi shotguns. 2020 is the year we honor the German Shorthaired Pointer. In coming years we plan to celebrate the English Setter. Boykin Spaniel and Brittany Spaniel with these handsomely engraved hunting firearms.

The German Shorthaired Pointer is a versatile hunter traditionally most at home in the field. The Companion's exquisite engraving depicts this beautiful dog.

AFFINITY 3 COMPANION SERIES - 12-GA, 3" ITEM # 41260 AA-Grade Satin Walnut



STANDARD FEATURES

EXTENDED CHOKE TUBES: IC. M. F and wrench. FINISHES: AA-Grade satin walnut. SIDE PLATE: Etched game scenes featuring the German Shorthaired Pointer. SHIM KIT: For adjustment of drop and cast.

OPTIONAL FEATURES

TSA RECOIL PADS: Three options to customize length of pull. FLUSH CHOKE TUBES: C, IC, M, IM, F. EXTENDED CHOKE TUBES: C, IM.

AFFINITY 3 COMPANION SERIES

ITEM Number	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
		12-GAUGE 234" AND 3"		
41260	28"	AA-Grade satin walnut	50"	6.9 lbs.
		20-GAUGE 234" AND 3"		
41265	26"	AA-Grade satin walnut	48"	6.0 lbs.
			10 11 5	

COMMON SPECIFICATIONS: **Magazine Capacity:** 4+1 **Extended Chokes:** IC,M,F and wrench **Type of Sights:** Fiber optic red-bar front sight **Length-of-Pull:** 14³/₈" **Drop at Heel:** Adjustable 2 - 2¹/₂" **Drop at Comb:** 1¹/₈" **Minimum recommended load:** 3-dram, 1¹/₈ ounce; 20-Gauge ⁷/₈ ounce, 1200 FPS.

X Affinity 3 Companion Series - Labrador



STANDARD FEATURES CHOKE TUBES: IC, M, F, and wrench. FINISHES: AA-Grade satin walnut. **SIDE PLATE:** Etched game scenes featuring the Labrador Retriever SHIM KIT: For adjustment of drop and cast.





AFFINITY 3 COMPANION - 12-GA, 31/2" ITEM # 41250 AA-Grade Satin Walnut

AFFINITY 3 COMPANION

ITEM Number	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
		20-GAUGE 2 ³ / ₄ ", 3" AND 3 ¹ / ₂ "		
41255	26"	AA-Grade Satin Walnut	47.25"	6.0 lbs.
		12-GAUGE 2 ³ / ₄ ", 3" AND 3 ¹ / ₂ "		
41250	28"	AA-Grade Satin Walnut	49.25"	6.9 lbs.

COMMON SPECIFICATIONS: **Magazine Capacity**: 4+1 **Chokes**: IC,M,F and wrench **Type of Sights**: Fiber optic red-bar front sight **Length-of-Pull**: 14 3/8" **Drop at Heel**: Adjustable 2 - 2 1/2" **Drop at Comb**: 1 1/2" **Minimum recommended load**: 3-dram, 1 1/8 ounce; 20-Gauge 7 /8 ounce, 1200 FPS.

OPTIONAL FEATURES

TSA RECOIL PADS: Three options to customize length-of-pull. CHOKE TUBES: C, IM EX TENDED CHOKE TUBES: C, IC, M, IM, F.

Perfectly Balanced

INSTINCT L



INSTINCT L - 20-GA, 3" ITEM # 40810 A-Grade Satin Walnut Colour case hardened receiver, blue barrels

INSTINCT L - 12-GA, 3"

INSTINCT L - 28-GA, 234" ITEM # 40811 A-Grade Satin Walnut Colour case hardened receiver, blue barrels

The Instinct L receiver is all-steel construction and is fitted with automatic ejectors. The light weight of the Instinct L models allow for a smooth, balanced swing on fast-moving targets or birds

The Instinct L features an all-steel, extra-strong colour-case receiver with the name "Instinct L" engraved in gold on the right side. The distinctive receiver includes a tang-mounted automatic safety that also acts as a barrel selector. An attractive gold-plated trigger completes the Instinct L's stylish look. The Prince of Wales style stock is cut from A-Grade satin walnut and features cut checkering on the slim forend and pistol grip. A traditional satin oil-finish complements the wood's beautiful grain and protects the stock from the elements of weather.



The Instinct L receiver is colour case-hardened for strength and an attractive look. The trigger guard displays a gold-inlaid Franchi logo. (28-gauge model shown)

STANDARD FEATURES

AUTO EJECTORS BARREL SELECTOR AUTO SAFETY CHOKE TUBES: IC, M, F and wrench. FINISHES: A-Grade satin walnut. Colour case hardened receiver. HARD CASE: Custom fitted hard case to protect in transport.


OPTIONAL FEATURES

CHOKE TUBES: C, IM. Extended Choke Tubes: C, IC, M, IM, F.

	INSTINCTL					
		BARREL .ENGTH	STOCK	OVERALL Length	AVERAGE WEIGHT	
			12-GAUGE 234" AND 3"			
40	800	28"	A-Grade satin walnut	45½"	7.0 lbs.	
			20-GAUGE 234" AND 3"			
40	810	28"	A-Grade satin walnut	45½"	6.6 lbs.	
			28-GAUGE 23/4"			
40	811	28"	A-Grade satin walnut	45½"	6 lbs.	
			.410-BORE 234" AND 3"			
40	812	28"	A-Grade satin walnut	45½"	6 lbs.	
COMMON SPECIFICATIONS: Chokes: IC,M, F Type of Sights: Red Fiber-Optic Front Bead						

INCTINCT

Length-of-Pull: 141/4" Drop at heel: 2" Drop at Comb: 11/2"



		INSTINCT SL		
ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL Length	AVERAGE WEIGHT
		12-GAUGE 234" AND 3"		
40815	28"	A-Grade satin walnut	44¼"	6.3 lbs.
		20-GAUGE 234" AND 3"		
40825	28"	A-Grade satin walnut	44¼"	5.6 lbs.

COMMON SPECIFICATIONS: Chokes: IC,M, F Type of Sights: Red Fiber Optic Front Bead Length-of-Pull: $14^{1}/_{*}$ Drop at heel: 2" Drop at Comb: $1^{1}/_{2}$ "



INSTINCT SL - 12-GA, 3" ITEM # 40815 A-Grade Satin Walnut Aluminum alloy receiver, polished blue barrels

INSTINCT SL - 20-GA, 3" ITEM # 40825 A-Grade Satin Walnut Aluminum alloy receiver, polished blue barrels

Franchi's Instinct SL over & under is a modern classic that combines the best of Italian tradition and craftsmanship with the latest innovative technology for the right look-the right feel. Available in both 12- and 20- gauges, the Instinct SL features an attractive polished alu-

> The Instinct SL stock, cut from fine A-grade walnut in the classic Prince of Wales style, features cut-checkering and sports a lustrous oil-finish. The lightweight alloy receiver houses a distinctive trigger and trigger guard displaying the gold-inlaid Franchi logo.





STANDARD FEATURES AUTO EJECTORS

BARREL SELECTOR AUTO SAFETY **EXTENDED CHOKE TUBES:** IC, M, F and wrench. FINISHES: A-Grade satin walnut. Aluminum alloy receiver. HARD CASE: Custom fitted hard case to protect in transport.

OPTIONAL FEATURES CHOKE TUBES: C, IC, M, IM, F. EXTENDED CHOKE TUBES: C. IM.

INSTINCT LX

Instinct - It's Compelling

INSTINCT SPORTING II Clay-Busting Perfection



Inspired by the specific needs of clay-target shooters. The 30-inch ba are ported to mitigate recoil and muzzle rise. Included knurled and extended choke tubes are easily identified and changed. A barrel-sele switch is integrated into the tang-mounted safety so you can choose w barrel shoots first. Extractors lift spent hulls from the barrels for easy manual removal on the range. Featuring A-Grade checkered walnut gr stock and Schnabel-style forend, a contrasting all-steel receiver, and a gold trigger. Enjoy an optimal blend of aesthetics and performance wit the Instinct Sporting shotgun from Franchi.

What shotgun shooter doesn't instinctively desire to one day own a fine over/under? Engineers and artisans at Franchi present the Instinct LX, the shotgun you've yearned for, at a price representing outstanding value. From the handsomely checkered AA-Grade walnut stock and Schnabel forend, to the engraved receiver with gold-inlaid highlights, this firearm is a masterpiece. The Instinct LX is infused with performance features, including best-in-class ergonomics, to deliver an exceptional shooting experience. Vented gloss-blue barrels with extended choke tubes offer optimal patterning. A red fiber-optic bead atop the vented rib gets you on target fast. The satety-mounted selector switch lets you choose which barrel fires first, while ejectors throw spent hulls clear. This fine firearm comes with three extended chokes, a choke wrench and a fitted hard case, along with the satisfaction of heeding the call of your Instinct.

> Each Instinct LX is an example of fine Italian craftsmanship. The color casehardened steel receiver is engraved with a hunting scene and gold-inlaid highlights. The Prince of Wales stock and Schnabel-style forend are crafted from AA-Grade satin walnut with cut checkering. Gloss-blued barrels and a gold trigger complete the handsome appearance. A custom-fitted hard case is provided to protect your Instinct.



INSTINCT LX - 12-GA, 3"

with gold bird inlays, blue barrels.

ITEM # 41160 AA-Grade Satin Walnut. Color case hardened receiver, engraved game scenes

INSTINCT LX

BARREL LENGTH	STOCK	OVERALL Length	AVERAGE Weight
	12-GAUGE 234" AND 3"		
28"	AA-Grade satin walnut	45.5"	7.0 lbs.
	20-GAUGE 234" AND 3"		
28"	A-Grade satin walnut	45.5"	6.6 lbs.
	LENGTH 28"	LENGTH STUCK 12-GAUGE 2¾" AND 3" 28" AA-Grade satin walnut 20-GAUGE 2¾" AND 3"	LENGTH STUCK LENGTH 12-GAUGE 2¾" AND 3" 28" AA-Grade satin walnut 45.5" 20-GAUGE 2¾" AND 3"

COMMON SPECIFICATIONS: Chokes: IC,M, F Type of Sights: Red Fiber Optic Front Bead Length-of-Pull: $14^4/4"$ Drop at heel: 2" Drop at Comb: $1^{1}/2"$

STANDARD FEATURES

AUTO EJECTORS BARREL SELECTOR AUTO SAFETY EXTENDED CHOKE TUBES: IC, M, F and wrench. FINISHES: AA-Grade satin walnut. Colour case hardener receiver. HARD CASE: Custom fitted hard case to protect in transport.

OPTIONAL FEATURES

CHOKE TUBES: C, IC, M, IM, F. Extended choke tubes: C, IM.

INSTINCT CATALYST

A Classic Over & Under Designed Just for Her



		INSTINCT CATALYST		
ITEM Number	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
		20-GAUGE 234" AND 3"		
40809	26"	A-Grade Satin Walnut	45"	6.8 lbs.
		12-GAUGE 2¾" AND 3"		
40802	28"	A-Grade Satin Walnut	45"	7.2 lbs.

COMMON SPECIFICATIONS: Magazine Capacity: 4+1 Chokes: IC,M,F Type of Sights: Red Fiber-Optic Front Bead Length-of-Pull: 137/s" Drop at heel: 1¹/2" Drop at Comb: 1¹/4"

STANDARD FEATURES

AUTO E JECTORS, BARREL SELECTOR, AUTO SAFETY CHOKE TUBES: IC, M, F and wrench. FINISHES: A-Grade satin walnut. Colour case hardened receiver. %" RECOIL PAD SPACER : For adjustment of length-of-pull.

OPTIONAL FEATURES

EXTENDED CHOKE TUBES: C, IC, M, IM, F **EX TENDED CHOKE TUBES:** C, IC, M, IM, F.



INSTINCT SPORTING II – 12-GA, 3"

ITEM # 41140 A-Grade Satin Walnut

		11	NSTINCT SPORTING	н			
	ITEM NUMBER	BARREL LENGTH	STOCK	OVERALL Length	AVERAGE WEIGHT		
rels			20-GAUGE 2¾" AND 3" A-Grade Satin Walnut 12-GAUGE 2¾" AND 3" A-Grade Satin Walnut S: Chokes: IC,M,F and wrench Type of S				
20-GAU 41145 30" A-Gra lector 12-GAU which 41140 30" A-Gra common specifications: Chokes: IC,I Common specifications: Chokes: IC,I	A-Grade Satin Walnut	48.125"	7.85 lbs.				
			12-GAUGE 234" AND 3"				
hich	41140	30"	A-Grade Satin Walnut	48.125"	7.45 lbs.		
h	bar front sight Length-of-Pull: 141/2" Drop at heel: 2" Drop at Comb: 11/2" STANDARD FEATURES EXTRACTORS, BARREL SELECTOR, MANUAL SAFETY EXTENDED CHOKE TUBES: IC, M, F and wrench. FINISHES: A-Grade satin walnut. HARD CASE: Custom fitted hard case to protect in transport. OPTIONAL FEATURES CHOKE TUBES: C, IC, M, IM, F. EX TENDED CHOKE TUBES: C, IC, M, IM, F.						

INSTINCT CATALYST – 12-GA, 3" ITEM # 40802 A-Grade Satin Walnut Colour case hardened receiver, blue barrels

A) The drop, cast, pitch, length-of-pull and grip length of the Instinct Catalyst's A-Grade satin walnut stock have all been optimized to fit women shooters.

B) The trigger guard of the Instinct Catalyst displays a gold-inlaid Franchi logo. The receiver is colour case-hardened for strength and an attractive look.

C) The Instinct Catalyst receiver is all-steel construction and is fitted with automatic ejectors. The female-specific fit and light weight allow for a smooth, balanced swing that just feels right at the range or in the field.

The Italian tradition and craftsmanship of the Franchi Instinct series, fully re-imagined in an innovative, affordable, 12-ga. over & under built specifically for women. Like its sister, the Affinity Catalyst, our Instinct Catalyst's stock has been redesigned with a drop, cast, pitch, LOP and grip length that better aligns with a women's body. Red, fiber-optic front sights put eyes on target quickly and confidently, with a classic, A-Grade satin walnut finish that just looks right, as well. Much more than just a shorter stock dressed in pink, this is a shotgun that immediately feels right in the hands and on the shoulder of today's women shooters.



The feature-rich Momentum makes its debut in 4 popular hunting calibers.

MOMENTUM BOLT-ACTION RIFLE

ITEM Number	CALIBER	BARREL LENGTH	STOCK	OVERALL Length	AVERAGE Weight			
RIFLE ONLY - THREADED BARREL								
A0545300	6.5 Creedmoor	24"	Black synthetic	44.3"	6.7 lbs.			
A0545200	.270 Winchester	22"	Black synthetic	42.3"	6.6 lbs.			
A0545100	.308 Winchester	22"	Black synthetic	42.3"	6.6 lbs.			
A0545000	.30-06 Springfield	22"	Black synthetic	42.3"	6.6 lbs.			
OF OF OF OTOMS	Conneity 4 . 1 (200 W)	m Mag 2.1)	Twist 1 11 DU /6 E	Croadmaar 1.9	DU 242			

SPECIFICATIONS: Capacity: 4+1 (.300 Win. Mag. 3+1) Twist: 1:11, RH (6.5 Creedmoor 1:8, RH; .243 Win. and .270 Win. 1:10, RH) BBL: Free-floating, Threaded Length-of-Pull: 14" (Rifle combo includes rifle, scope, two-piece scope base and rings and threaded barrel)

STANDARD FEATURES

FLUTED BOLT: 3 large-sized locking lugs, 60 degree bolt throw. FINISH: Black synthetic. FREE-FLOATING BARREL ADJUSTABLE TRIGGER: 2 - 4 lbs. THREADED BARREL: Accepts muzzle accessories, 5/8 x 24 threads. TSA RECOIL PAD: Absorbs 50% of felt recoil. INTEGRATED SWIVEL MOUNTS The one-piece bolt is spiral fluted and features 3 large-sized locking lugs for a rock-solid lockup—which translates into accuracy and reliability. The bolt is easily disassembled and has a short, 60-degree throw.





will not snag on your clothes as you shoulder the rifle. Also, a checkered recess at the rear of the stock will comfortably accommodate your left hand as you shoot from a bench.

The Momentum comes with a detachable box-type magazine that holds three or four cartridges (depending on caliber) for fast, safe and easy loading and unloading.





The cold-hammer-forged, chrome-molybdenum, matte-finish barrel is entirely free-floating for maximum accuracy. The end is threaded under a knurled cover, making it easy to attach a variety of muzzle accessories (5/8 x 24 thread).



How many times has a conventional swivel-stud hit your left hand under recoil? "Feels right" also means getting rid of this annoying problem—in this case by designing the stock so that the swivel attachments do not protrude.



Momentum Elite Series

FRANCHI MOMENTUM BOLT-ACTION RIFLE ITEM # 41606 Realtree® EXCAPE™, Burnt Bronze Cerakote®

FRANCHI MOMENTUM BOLT-ACTION RIFLE

ITEM # 41620 Hunter Gray, Cobalt Cerakote®

MOMENTUM BOLT-ACTION RIFLE

ITEM Number	CALIBER	BARREL Length	STOCK	OVERALL Length	AVERAGE Weight
	ΟΤΕ				
41600	6.5 Creedmoor	24"	Hunter Gray	46.25"	7.5 lbs.
41610	.308 Winchester	22"	Hunter Gray	44.25"	7.1 lbs.
41620	.223 Remington	22"	Hunter Gray	44.25"	7.5 lbs.
	CERAKOTI	Ξ			
41606	6.5 Creedmoor	24"	EXCAPE	46.25"	7.5 lbs.
41616	.308 Winchester	22"	EXCAPE	44.25"	7.1 lbs.
TRU	ZE CERAK	OTE			
41605	6.5 Creedmoor	24"	Strata	46.25"	7.5 lbs.
41615	.308 Winchester	22"	Strata	44.25"	7.1 lbs.
41625	.223 Remington	22"	Strata	44.25"	7.5 lbs.
SPECIFICATIO	DNS: Capacity: 3+1 (.2	23 Rem. 4+1) Twist: .308 Win	1.1:11, RH; 6	.5

Creedmoor 1:8, RH; .223 Remington 1:9, RH BBL: Free-floating, Threaded LENGTH OF PULL: 14"

FRANCHI

Æ

to expect from a Franchi.



The free-floating,cold-hammer-forged, chromemolybdenum barrel sports weather- and corrosion-resistant Cerakote® coating. It's outfitted with a muzzle brake that reduces felt recoil and muzzle rise.

The Momentum Elite comes with a detachable box-type magazine that holds three or four cartridges (depending on caliber) for fast, safe and easy loading and unloading.



STANDARD FEATURES

FLUTED BOLT: Three large-sized locking lugs, 60 degree bolt throw. FINISHES: Hunter Gray/Cobalt Cerakote[®], Realtree[®] EXCAPE[™]/Burnt Bronze Cerakote[®], TrueTimber[®] Strata/Midnight Bronze Cerakote[®]. FREE-FLOATING BARREL ADJUSTABLE TRIGGER: 2 - 4 lbs. THREADED BARREL: Accepts muzzle accessories, 5/8 x 24 threads (.223 Remington 1/2 x 28 threads). MUZZLE BRAKE TSA RECOIL PAD: Absorbs up to 50% of felt recoil. REMOVABLE BOX-TYPE MAGAZINE INTEGRATED SWIVEL MOUNTS **ONE-PIECE PICATINNY RAIL:** Quick and easy optics mounting

61)

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



CERAKOT

FRANCHI MOMENTUM BOLT-ACTION RIFLE ITEM # 41615 TrueTimber® Strata, Midnight Bronze Cerakote®


MOMENTUM

Experience the performance and quality of the Franchi Momentum platform in an augmented package for 2020. The advanced ergonomic stock is now available in hunting-centric colours, each featuring a complimentary Cerakote® finish on the barrel and receiver for premium protection against the elements. For those preferring camo, the Momentum is available in the new EXCAPE[™] pattern from Realtree, and also in the versatile True Timber[®] Strata camo. Additional added features include a muzzle brake and a one-piece Picatinny top rail, further delivering the premium value you've come

The one-piece bolt is spirally fluted and features three large locking lugs for a rock- solid lockup to enhance accuracy and reliability. The bolt is easily disassembled and has a short, 60-degree throw.



Technology More than 60 years ago Franchi began manufacturing the long-recoil 48 AL, hailed as an innovation in shotgun technology, and the ultimate refinement of long-recoil auto-loaders. The next development was in the direction of gas-operated semi-autos, and the current modernization trend includes the incorporation of the Inertia Driven® system to drive the latest generation of Franchi semi-automatic shotguns. The Franchi semi-autos remain the choice of many discerning wing shooters for their lightning-fast handling qualities and superior "feel." Franchi shotguns are quality firearms that meet today's demanding standards without compromising the original ideas and concepts that make Franchi firearms unique. Combining cutting-edge modern manufacturing methods and technology with Old-World gun craftsmanship, has enabled Franchi to create sets of shotguns that are amazingly simple, yet absolutely reliable. With modern metallurgy and technology and their distinct lightweight styling, Franchi's 48 AL, Instinct over & unders and the Inertia Driven® Affinity are testament to that fact.



moves rearward. The curved track in the bolt body, which is moving forward relative to the rest of the gun, presses against the locking head pin, turning the bolt head even tighter into the barrel extension. A shell is allowed to exit from the magazine.



and the gun's rearward motion slows. The heavy inertia spring then thrusts the bolt assembly rearward, unlocking the rotating head, pulling the spent shell from the chamber and recocking the hammer.



Step 4 EJECTION As the bolt assembly continues to the rear it compresses the recoil spring on the magazine tube and pulls the spent shell against the ejector. After the empty shell exits the receiver the recoil spring then thrusts the bolt assembly forward, lifting the next shell into position and pushing it into the chamber. The gun is ready to fire again...in a fraction of a second!

ltem Number	Barrel Length	Description	Gauge / Calibre	Magazine Capacity
INSTINCT	۲L	2¾" and 3"		
40800	28"	Satin Walnut, Colour Case Hardened Steel	12	
40810	28"	Satin Walnut, Colour Case Hardened Steel	20	
40811	28"	Satin Walnut, Colour Case Hardened Steel	28 (2 1/4" only)	
40812	28"	Satin Walnut, Colour Case Hardened Steel	.410	
INSTINCT	r sl	2¾" and 3"		
40815	28"	Satin Walnut, Polished Light Weight Aluminum	12	
40825	28"	Satin Walnut, Polished Light Weight Aluminum	20	
INSTINCT	SPORTING	II 2¾" and 3"		
41140	30"	Satin Walnut, Polished Steel, Ported Barrels	12	
41145	30"	Satin Walnut, Polished Steel, Ported Barrels	20	
INSTINCT	CATALYST	2¾" and 3"		
40802	28"	Satin Walnut, Colour Case Hardened Steel	12	
40809	26"	Satin Walnut, Colour Case Hardened Steel	20	
41160	28"	2 ³ / ⁴ " and 3"	10	
41160 41170	28"	AA-Grade Satin Walnut AA-Grade Satin Walnut	<u> </u>	
41170	20		*Semi-auto's delivered	with 2 1 mag config
	•	07/11 I 011	Senii-auto S delivered	i witii 2+1 iilag culliigi
AFFINITY	-	2 ³ /4" and 3"	10	0.1
41055	28"	A-Grade Satin Walnut	12	<u>3+1</u> 3+1
41025 41035	<u>28"</u> 28"	Black Synthetic Realtree®Max-5™	12	3+1
41035	26"	Realtree Max-5™ Realtree Max-5™	12	3+1
41040	28"	TrueTimber DRT™	12	3+1
	26"			
41075 41060	26"	A-Grade Satin Walnut Black Synthetic	20 20	3+1 3+1
41065	26"	Realtree*Max-5 TM	20	3+1
41003	26"	TrueTimber DRT™	20	3+1
	3 ELITE UF	PLAND $2\frac{3}{4}$ " and 3 "		
41310	28"	LAND 274 and 3	12	3+1
41315	26"		20	3+1
		T 02/11 I 01	20	
41000	3 COMPAC		20	2.1
41080 41090	24" 26"	Compact Black Synthetic w/ adj. shims- LOP 12.375" to 13.375" Compact Realtree® Max-5™ w/ adj. shims- LOP 12.375" to 13.375"	20 20	3+1 3+1
41030	26"	Compact Realtree* Max-5 [™] w/ adj. shims- LOP 12:375 to 13:375"	12	3+1
			12	511
	3 COMPAN		10	2.1
40260	<u>28"</u> 26"	German Point - AA-Grade Satin Walnut, Engraving	<u> 12</u> 20	3+1
40265 40250	28"	German Point - AA-Grade Satin Walnut, Engraving	12	3+1
40255	26"	Labrador - AA-Grade Satin Walnut, Engraving Labrador - AA-Grade Satin Walnut, Engraving	20	3+1 3+1
40233			20	JTI
A PPIALIPPA		2 ³ / ₄ " and 3"	10	0.1
	30"	A-Grade Satin Walnut	12	3+1
41120		A-Grade Satin Walnut	20	3+1
41120 41130	28"			
41120 41130 AFFINITY	28" 3.5	2¾", 3" and 3½"		
41120 41130 AFFINITY 41095	28" 3.5 28"	Black Synthetic	12	3+1
41130 AFFINITY 41095 41100	28" 3.5 28" 28"	Black Synthetic Realtree® Max-5™	12	3+1
41120 41130 AFFINITY 41095	28" 3.5 28"	Black Synthetic		



FINITY C	28"	2 ³ / ₄ " and 3"			10	2,1
<u>40872</u> 40873	26"	A-Grade Satin Walnut			<u>12</u> 20	<u>3+1</u> 3+1
400/5	20	A-Grade Satin Walnut			20	3+1
FFINITY L	EFT-HAND	2¾" and 3"				
40845	28"	Black Synthetic, Left-hand	-		12	3+1
A0454200	28"	Realtree® Max-5™, Left-hand			12	3+1
	M BOLT AC	TION RIFLE				
A0545300	22"	Black Synthetic			6.5 CREEDMOOR	4+1
A0545200	22"	Black Synthetic			270 WIN	4+1
A0545100	22"	Black Synthetic			308 WIN	4+1
A0545000	22"	Black Synthetic			30-06	4+1
		LT ACTION RIFLE				
41620	22"	Hunter Gray/Cobalt Cerakote			223 REM	4+1
41625	22"	TrueTimber Strata/Midnight Bronze Cerakote			223 REM	4+1
41610	22"	Hunter Gray/Cobalt Cerakote			308 WIN	3+1
41616	22"	Realtree EXCAPE/Burnt Bronze Cerakote			308 WIN	3+1
41600	24"	Hunter Gray/Cobalt Cerakote			6.5 Creedmoor	3+1
41605	24"	TrueTimber Strata/Midnight Bronze Cerakote			6.5 Creedmoor	3+1
41605	24"	Realtree EXCAPE/Burnt Bronze Cerakote			6.5 Creedmoor	3+1
	24					3+1
F0468900		Momentum Muzzle Brake 5/8				
	T					
CHOKES EX			10	0		
50972 50976	Cylinder Full		<u>12</u> 12	<u> </u>		
50973	Improved Cy	lindor	12	IC		
50975	Improved C		12	IM		
50974	Modified	Jullea	12	M		
50977	Cvlinder		20	C		
50981	Full		20	F		
50978	Improved Cy	linder	20	IC		
50980	Improved O		20	IM		
50979	Modified	bunicu	20	M		
		500	LV			
	DS & SPAC					
G0437700	TSA Gel Pad		ONE SIZE			
G0696700	TSA Rubber		14 MM			
G0696800	TSA Rubber		22 MM			
<u>G0696900</u>	TSA Rubber		32 MM			
OOLS						
51153	Choke Wren	ch	12			
45536		ch	20			

The illustrations and descriptions given in this brochure are intended as a general guide only, and must not be taken as binding. The Company, therefore, reserves the right to make changes, at any moment and without prior notice, necessary to improve the product and to meet either manufacturing or sales requirements. Stoeger Canada reserves the right to apply changes to prices and configurations at any time and without prior notice. Copyright Franchi on images, texts and graphics (if not otherwise stated). All rights are reserved.

