

"When your climbing the tallest mountains and hiking Canada's most rugged terrain, you want to make your shot count when the big game animal your after presents a shot. Sako is so light and super accurate and dependable, I carry it everywhere."

Keith Beasley

MADE BY HUNTERS

For us, it `s not just a profession - it `s a passion, a lifestyle we share with our customers.

There's nothing more precious than sitting by the fire and sharing something special with your fellow hunters. It's no secret that Sako's global reputation is rooted in the unique skills and expertise of our employees, hunters who also share this way of life.

Combining a passion with work creates something truly new. The insights we get out there in the forest support what we develop next at the job, and the stories shared are built into our future products. We know the difference good quality can make.

Read our stories at sako.fi/manufacturing

We are Sako. We demand perfection.



CERTIFICATION OF PROOF TEST AND ACCURACY

We value our customers. To guarantee the best possible performance of all Sako rifles, we test each individual rifle for quality assurance. We do not guess or assume – we test. Each rifle is delivered with a certification that guarantees its quality and accuracy.

The Beasley Brothers are born and raised Canadian boys who have always loved the great outdoors. They were raised hunting, fishing and playing hockey like most Canadian kids. Their extreme passion and love of family led them down a path into the hunting industry. They now work full time as hosts of Canada's most watched hunting TV series Canada in the Rough. The Documentary series features the greatness of Canada as the brothers explore the country's vast unspoiled wilderness from coast to coast to coast filming their hunting adventures and sharing their love of family, conservation and the great nation they call home. Canada in the Rough is currently airing nationally in Canada in both English and French, in the USA and in 25 other countries around the world.

Sako-2 SAKOCANADA.CA Sako



sakos20

THE RIFLE THAT IS YOU

ERGONOMIC HUNTING STOCK

The S20 hunting stock was designed with ultimate shooting comfort and ergonomics in mind. Having the best, most ergonomic grip on your rifle improves accuracy without compromising comfort.

In an intense hunting situation, this can be the deciding factor between success and failure.

ADJUSTABLE CHEEK PIECE

ADJUSTABLE TRIGGER POSITION
AND WEIGHT OF PULL



QUICK-DETACHABLE SLING PLACEMENT

The QD sling placement on both sides of the stock enable fast and easy attachement of the sling, improving rifle handling.



THUMBHOLE - STYLE PISTOL GRIP

The thumbhole-style design suits all hand sizes. It's made of high-quality soft, leather-like synthetic materials that provide the optimal grip in all situations.

PRODUCT NUMBER

ADJUSTABLE LENGHT OF PULL

DESCRIPTION

 SJS6334A40A9S0
 S20 HUNTER 6.5 CREEDMOOR | 24" | 5RD | FLUTED BARREL | N/S | MT5/8-24

 SJS9634A40A9S0
 S20 HUNTER 6.5 PRECISION | 24" | 5RD | FLUTED BARREL | N/S | MT5/8-24

 SJS2934A40A974
 S20 HUNTER 308 WIN | 20" | 5RD | FLUTED BARREL | N/S | MT5/8-24

 SJS2134A40A973
 S20 HUNTER 270 WIN | 20" | 5RD | FLUTED BARREL | N/S | MT5/8-24

 SJS3134A40A974
 S20 HUNTER 30-06 | 20" | 5RD | FLUTED BARREL | N/S | MT5/8-24

 SJS2734A40A9S2
 S20 HUNTER 7MM REM | 24" | 3RD | FLUTED BARREL | N/S | MT5/8-24

 SJS33334A40A9S3
 S20 HUNTER 300WIN | 24" | 3RD | FLUTED BARREL | N/S | MT5/8-24

S588207275

S20 HUNTER STOCK

S588207261


S20 HUNTER FOREND

The Sako S20 is the first true hybrid rifle, the one that both hunters and precision shooters can embrace. It`s designed for passionate shooters who want to take and stay in control in every situation. The modular structure adapts to changing lifestyles, making S20 a truly future-proof bolt action rifle.

TACTICAL PRECISION STOCK

The S20 precision stock was created specifically for long distance and precision shooters. To ensure maximised control, accuracy and comfort, its features can be easily adjusted to your needs and complemented by multiple accessories via M-LOK placements.







M-LOK PLACEMENTS

The forend has integrated M-LOK placements on both sides (one on either side) and on the bottom (3+1).



THUMB REST

Enables the use of the non-trigger hand as support under the stock.

PRODUCT NUMBER DESCRIPTION

ADJUSTABLE LENGHT OF PULL

 SLS6334A42A9S0
 S20 PRECISION 6.5 CREEDMOOR | 24" | 5RD | FLUTED BARREL | 2 STAGE TRIGGER | N/S | MT5/8-24

 SLS9634A42A9S0
 S20 PRECISION 6.5 PRECISION | 24" | 5RD | FLUTED BARREL | 2 STAGE TRIGGER | N/S | MT5/8-24

 SLS2934A42A974
 S20 PRECISION 308 WIN | 20" | 5RD | FLUTED BARREL | 2 STAGE TRIGGER | N/S | MT5/8-24

 SLS2734A42A9S2
 S20 PRECISION 270 WIN | 20" | 5RD | FLUTED BARREL | 2 STAGE TRIGGER | N/S | MT5/8-24

 SLS3334A42A9S3
 S20 PRECISION 30-06 | 20" | 5RD | FLUTED BARREL | 2 STAGE TRIGGER | N/S | MT5/8-24

S588207276 S20 PRECISION STOCK | S588207274 S20 PRECISION FOREND

Sako-4 SAKOEGERYCADVADA.CA

NEW





5MM SPACERS SETS

are available for adjusting lenght of pull.

S588207260 S20 RECOIL PAD SPACERS 5MM (SET OF 2)



are compatible with Sako's S20's or any other rifles`s QD sling mounts.

\$530207774 \$20 QUIC

S540201130

S20 QUICK DETACH SLING SWIVEL (SET OF 2) S20 M-LOK SLING SWIVEL SOCKET MIL-SLING

LUG/ QD SOCKET





MUZZLE BRAKES

S588207091 S20 M

S20 MUZZLE BRAKE SLIM BLUED 5/8 X 24

BARRICADE STOP

The barricade stop allows the shooter to support the rifle on barricades or obstacles without damaging the magazine and achieving a steadier position for maximum precision. It can be attached to any M-LOK compatible forend or hand guard.

S588207328 S20 MLOK BARRICADE STOP





MONOPOD

The M-LOK compatible monopod provides further stability and support when you need that extra precision. You can quickly engage the desired height with one push of a button. The mount also has a threaded micro adjustment so that you can fine-tune your rifle's elevation by rotating the pod.

S588207331 S20 MLOK MONOPOD



THUMB REST

With the S20 thumb rest, you can easily improve your shooting position by placing your thumb on either the left or the right side of the precision stock. It enables a more secure and fixed hand position for more accurate index finger trigger control.

S588207101 S20 THUMB REST



10-ROUND MAGAZINE

If you want extended magazine capacity, 10 round (7 Magnum) magazines are available. Sako S20 magazines were designed to support reloaders with their longer maximum cartridge length and to safeguard the bullet from recoil damage.

 S588207099
 S20-L MAG 7MM REM, 300WIN - 3RD

 S588207100
 S20-L MAG 7MM REM, 300WIN - 7RD

 S588207098
 S20-M MAG 270 WIN, 30-06 - 10RD

 S588207097
 S20-M MAG 270 WIN, 30-06 - 5RD

 \$5588207096
 \$20-\$\$ MAG 243 WIN, 6.5 CREEDMOOR,308 WIN - 10RD

 \$5588207095
 \$20-\$\$ MAG 243 WIN, 6.5 CREEDMOOR,308 WIN - 5RD



SCOPE MOUNT

Our high-duty performance scope mount, made from extremely strong aircraft-grade aluminium and steel, provides a strong hold for a rigid scope on the Picatinny rail. It comes in a variety of different ring heights (low, medium and high) and ring diameters (1 in, 30 mm, 34 mm and 36 mm).

OTHER

 \$530206810
 \$20 TRANSPORT CASE - LONG

 \$530206811
 \$20 TRANSPORT CASE - SHORT

 \$588207323
 \$20 COCKING WRENCH

S5950902 SAKO QUAD BARREL CHANGE TOOL

Sako-6 SAKOCANADA.CA Sako-7

Custom is our standard

Sako 85 rifles are built with demanding design criteria, based on tradition and innovation, allowing you to choose between different models for the given hunting or training purpose. The Sako 85 series offers several stock styles and barrel options. These options, combined with a comprehensive caliber selection, will give you the ultimate bolt-action rifle. When you buy a Sako, you're buying a high-quality rifle that has undergone thorough quality assessments that ensure its lasting value from father to son.



SIGHTS

Most of the Sako 85 models with a blued finish on the barrel are available with either standard or optional adjustable iron sights. The front bead is adjustable in elevation and the rear blade in windage.



EXTRACTOR & EJECTION

The Sako 85 has a famous extractor claw made of durable heat-treated steel. When the bolt forces the case back, the mechanical ejector fork ejects the case out of the rifle. The ejector is at the bottom of the rear bridge, not on the bolt face.



BARREL

Sako 85 barrels are manufactured with a passion for craftsmanship and the very best knowledge of Sako. Barrel blanks are drilled, honed, cold-hammer forged, finished and finally individually inspected by an optical fine-tuning instrument: the human eye. Twist rates are chosen for each caliber to optimize accuracy and bullet performance. Sako 85 barrels, blued or stainless, have a non-reflecting, satin-like surface – with the exception of the Sako 85 Deluxe and Safari models that have a highly polished finish.

MAGAZINE

The staggered, two-row magazine of the Sako 85 is made of stainless steel. The detachable magazine can also be loaded through the ejection port. The Total Control Latch (patent pending) of the Sako 85 prevents accidental magazine release.



TRIGGER

The weight of pull of the single-stage Sako 85 trigger unit is adjustable from 1 to 2 kg (2–4 lbs). An optional single-set trigger is available for most Sako 85 models. All Sako 85 rifles have an extremely durable, all-steel trigger guard that protects the trigger. An exception to this are the Finnlight and Carbonlight models, which have a lightweight hard-anodized aluminium trigger guard.



The special two-way Sako safety locks both the trigger and the bolt handle. The unique bolt release button of the Sako Safety System allows you to load or remove a cartridge from the chamber while the safety is engaged.



ACTION Sako 85 actions come in six different sizes (CSA), providing reliable functioning for each caliber. All Sako 85 models feature controlled cartridge feed (RCS) to eliminate double feed or cartridge jams. The turn-bolt handle places the hand in a natural position during bolt operation, which allows for rapid repeated firing.



STOCK

The ergonomics of Sako 85's walnut and synthetic stocks are built for an optimal shooting posture. The excellent balance and smooth bolt operation of Sako 85 rifles enable fast, straight and accurate operation.



85 FINNLIGHT II

Experience an icon reborn - Enjoy ease of use and comfort for each shot with a lightweight fiberglass stock produced with cutting edge RTM technology. The Sako 85 Finnlight II has been treated with a weather resistant Cerakote® coating and is equipped with a fully adjustable cheek piece, making the rifle adaptable and ready for any challenge.

S, SM, M & L

40.85-45.0 IN 20.25-24.4 IN 2.8-3.1 kg

ction size

Total Le

Barrel Leng

Overall Weigh

Available Left-Handed

85 FINNLIGHT II

FULLY ADJUSTABLE CHEEK PIECE

Easily customized to suit your individual preferences.

	63 FINNLIGHT II						
	Action	S	SM	М	L		
sions	Barrel length in	20.25	24.4	22.4	24.4		
Dimensions	Weight kg	2.5	3.0	2.8	3.1		
#	SBV2914A193074 / 308 Win / 11"						
of Twis	SBV6314A193070 / 6.5 Creedmoor / 8"	•					
lliber / Rate of	SBX7114A1930D4 / 300 Win Short Mag/ 14"		•				
	SBW2114A1930B3 / 270 Win / 10"			•			
er / Ca	SBW3114A1930B4 / 30-06 / 11"			•			
Numb	SBV6314A1930D0 / 6.5 Creedmoor / 8"		•				
oduct	SBX2714A1930D2 / 7mm Rem Mag / 9.5"				•		
Product Number / Caliber / Rate of Twist	SBX3314A1930D4 / 300 Win Mag / 11"			2000	•		
	Injection moulded / Painted	•	•	•	•		
	Without sights	•	•	•	•		
	Single stage trigger	•	•	•	•		
S	Single set trigger	+	+	+	+		
Features	Detachable magazine (DM)	•	•	•	•		
- B	Magazine capacity	5	4	5	4		
1000	Stainless steel barreled action	•	•	•	•		
	Fluted barrel	•	•	•	•		
	Muzzle thread	+	+	+	+		

85 FINNLIGHT II - LEFT HAND

	Action	S	SM	М	L
Dimensions	Barrel length in	20.25	24.4	22.4	24.4
Dimer	Weight kg	2.5	3.0	2.8	3.1
[wist	SBV2914B193074 / 308 Win / 11"	•			
rte of	SBV6314B193070 / 6.5 Creedmoor / 8"	•			
er/Ra	SBW2114B1930B3 / 270 Win / 10"			٠	
Product Number / Caliber / Rate of Twist	SBW3114B1930B4 / 30-06 / 11"			٠	
mber	SBV6314B1930D0 / 6.5 Creedmoor / 8"		•		
uct Nu	SBX2714B1930D2 / 7mm Rem Mag / 9.5"				•
Prod	SBX3314B1930D4 / 300 Win Mag / 11"				•
100000	Injection moulded / Painted	•	•	•	•
	Without sights	•	•	•	•
	Single stage trigger	•	•	•	•
sa	Single set trigger	+	+	+	+
Features	Detachable magazine (DM)	•	•	•	•
	Magazine capacity	5	4	5	4
	Stainless steel barreled action	•	•	•	•
	Fluted barrel	•	•	•	•
	Muzzle thread	+	+	+	+

* = Special Order • = as standard, + = as option 1 M.O.A. or better, at 100 meters with 5 cartridges.



SECURE GRIP

The grip surfaces and the cheek piece are made from elastomer.



CERAKOTE® COATING

The coating ensures reliable performance in all conditions.

Sako-10 SAKO-GERNUADA.CA Sako-II



85 FINNLIGHT

The Sako 85 Finnlight rifle is for those who foray deep into the wild to reach their goal. Hunters on mountain trails or on long-distance treks prefer high-performance rifles that are full-sized, yet still lightweight. The fluted barrel of the Finnlight is just one of the many features that make it ideal for the hunter seeking a perfectly trimmed light rifle. The Sako 85 Finnlight is also an excellent choice for women and younger shooters.



STOCK

Sako 85 Finnlight has a reinforced black polymer stock with a soft grey pattern on its grip surfaces and a Soft Touch surface treatment.

85 FINNLIGHT

	Action	S	SM	М	L
Dimensions	Barrel length in	20.9	24.4	22.4	24.4
Dimer	Weight kg	2.8	2.9	2.9	3.1
se/	JRS1Q15 / 243 Win / 10" / 6	•			
f Groo	JRS1Q16 / 308 Win / 11" / 4	•			
nber of	JRS1Q52 / 7MM-08 REM / 9.5"	•			
Num/	JRS2Q40 / 270 Win Short Mag / 10" / 4		•		
f Twist	JRS2Q41 / 300 Win Short Mag / 11" / 4		•		
Product Number / Caliber / Rate of Twist / Number of Grooves	SBV63NL1A / 6.5 Creedmoor / 8" /				
liber /	JRS1Q65 / 6.5X55 / 8"			•	
er / Cal	JRS1Q18 / 270 Win / 10" / 4			•	
Jumbe	JRS1Q20 / 30-06 / 11" / 4			•	
oduct l	JRS1Q70 / 7mm Rem Mag / 9.5" / 4				•
Prc	JRS1Q31 / 300 Win Mag / 11" / 4				•
	Injection moulded / Painted	•	•	•	•
	Without sights	•	•	•	•
	Single stage trigger	•	•	•	•
sə	Single set trigger	+	+	+	+
Features	Detachable magazine (DM)	•	•	•	•
- R	Magazine capacity	5	4	5	4
	Stainless steel barreled action	•	•	•	•
	Fluted barrel	•	•	•	•
	Muzzle thread	+	+	+	+

* = Special Order



85 CARBONLIGHT

The Sako 85 Carbonlight is a high-end rifle designed for gear-oriented enthusiasts who are after any type of game. This ultra-light multi-purpose hunting rifle features a carbon fiber stock with a soft-touch surface and a right-hand palm swell. With an approximate weight of only 2.4 kg, the Sako 85 Carbonlight with S-action or the new XS-action is exceptionally comfortable to carry, even on long treks. The models also come with a left-handed option and different action lengths, including M-action.



TECHNOLOGY

The Sako 85 Carbonlight rifle is built using the same CFRP technology that is used in both car and aerospace industries. This makes it extremely light, durable and rigid, resulting in a one-of-a-kind rifle.

85 CARBONLIGHT

	Action	S	М	L
Dimensions	Barrel length in	20.25	22.4	24.4
Dimer	Weight kg	2.4	2.6	2.8
ate	SBV29TH1 / 308 Win / 11"	•		
er / Ra	SBV63TH1 / 6.5 Creedmoor / 8"	•		
Calibe t	SBV15TH1 / 243 Win / 10"	•		
nber /Ca of Twist	SBV13TH1 / 22-250 /	•		
Product Number /Caliber / Rate of Twist	SBW31TH1 / 30-06 Spr / 11"		•	
duct	SBX27TH1AM / 7mm Rem Mag / 9.5"		N E TO S	•
Pro	SBX33TH1AM / 300 Win Mag / 11"			•
3	SBV29TV1 / 308 WIN / 11"	•		
	Synthetic	•	•	•
	Without sights	•	•	•
	Single stage trigger	•	•	•
	Single set trigger	+	+	+
Features	Detachable magazine (DM)	•	•	•
Feat	Magazine capacity	6	6	6
	Stainless steel barreled action	•	•	•
	Fluted barrel	•	•	•
	Muzzle brake (Included in Box)			•
	Muzzle thread	+	+	+

* = Special Order
• = as standard, + = as option
1 M.O.A. or better, at 100 meters with 5 cartridges.

Sako-12 SAKOCANADA.CA Sako-

^{• =} as standard, + = as option

¹ M.O.A. or better, at 100 meters with 5 cartridge



85 CARBON WOLF


The 85 Carbon Wolf is made for hunters who value the flexibility and adaptability of being able to effortlessly make ergonomic adjustments. It's built to allow you to hit hard and fast while trekking through the wild, or it can quickly be configured for the range. The RTM carbon fibre construction ensures lightness and durability.

85 CARBON WOLF

	Action	S	L
Dimensions	Barrel length in	24.4	24.4
	Weight kg	3.4	3.6
Product Number / Caliber / Rate of Twist / Number of Grooves	SAV6315A2037D4 / 6.5 Creedmoor / 10"	•	
er / Rate rooves	SAV6115A2037D0 / 260 Rem / 11"	•	
umber / Caliber / Rat / Number of Grooves	SAV2915A2037D4 / 308 Win / 11"	•	
Number / Num	SAX2715A2037D2 / 7mm Rem Mag / 9.5"		•
Product	SAX3315A2037D4 / 300 Win / 10"		٠
	Matte lacquered	•	•
	Without sights	•	•
	Single stage trigger	•	•
Features	Single set trigger	+	+
Feat	Detachable magazine (DM)	•	•
	Magazine capacity	4	4
	Stainless steel barreled action	•	•
	Muzzle thread		



DOUBLE SLING-STUD



ERGONOMIC PISTOL GRIP



ADJUSTABLE CHEEK PIECE & LENGTH OF PULL

39.5-45 in

Total Length

85 SYNTHETIC BLACK



The Sako 85 Synthetic rifle, with its completely matte black-finished design, offers hunters true stealth appearance. The barrel, action, magazine plate and trigger guard are all matching in colour with a Soft Touch colour-coated stock.

BLACK FLUTED BARREL



85 SYNTHETIC BLACK

42.8 in

Total Length

85 SYNTHETIC STAINLESS



The Sako 85 Synthetic Stainless, one of our most popular rifles, is effortless to operate and has the firmest hold you'll ever experience. Black grip areas against the black satin-like stock create an impressive profile. The stainless steel barrel and receiver are non-reflective and highly durable in any weather conditions.

39.5-45 in

Total Length

85 SYNTHETIC STAINLESS

	Action		.*.	_
Dimensions	Barrel length in	22.4	22.4	24.5
	Weight kg	3	3	3.4
of Twist	SBV29LL1A / 308 Win / 10"	•		
Product Number / Caliber / Rate of Twist	SBW21LL1A / 270 Win / 10"		•	
· / Calibe	SBW31LL1A / 30-06 / 11"		•	
Number	SBX27LL1A / 7mm Rem Mag / 9.5"			•
Product	SBX33LL1A / 300 Win / 11"			•
	Without sights	•	•	
	Single stage trigger	•	•	•
	Single set trigger	+	+	+
	Detachable magazine (DM)	•	•	•
	Magazine capacity	5	5	4
	Stainless steel barreled action	•	•	•
	Muzzle thread			

Sako-14 SAKOCANADA.CA Sako



85 HUNTER

The Sako 85 Hunter comes with world-calss Sako features, including the legendary Sako accuracy, smooth bolt operation and perfect balance, making it a valued rifle to both own and to shoot. Its design combines a walnut stock with either blued or stainless metal parts. Iron sights are available for the blued barrel option.

85 HUNTER

	Action	S	S	М	М	L
sions	Barrel length in	22.4	20.0	22.4	20.0	24.4
Dimensions	Weight kg	3.2	3.1	3.3	3.2	3.5
oves	SAW21H61A / 270 Win / 10"			•		
Product Number / Caliber / Rate of Twist / Number of Grooves	SAW31H61A / 30-06 / 11"			•		
lumber / / Numbe	SAV29H61A / 308 Win / 11"	•				
roduct N of Twist	SAX27H61A / 7mm Rem Mag / 9.5"					•
P Rate	SAX33H61A / 300 Win Mag / 11"					•
	Oiled	•	•	•	•	•
	Open sights	+		+		+
	Without sights	•	•	•	•	•
Features	Single stage trigger	•	•	•	•	•
Feat	Single set trigger	+	+	+	+	+
	Detachable magazine (DM)	•	٠	•	•	•
	Magazine capacity	5	5	5	5	4
	Muzzle thread		•		•	-1 -11

85 HUNTER STAINLESS

OSTIONTER STAINLESS							
	Action	S	S	М	М	L	
Dimensions	Barrel length in	22.4	20.0	22.4	20.0	24.4	
Dimer	Weight kg	3.2	3.1	3.3	3.2	3.5	
/ oves	SBW21H61A / 270 Win / 10"			•			
Product Number / Caliber / Rate of Twist / Number of Grooves	SBW31H61A / 30-06 / 11"			•			
Jumber / / Numbe	SBV29H61A / 308 Win / 11"	•					
roduct N of Twist	SBX27H61A / 7mm Rem Mag / 9.5"					•	
Rate	SBX33H61A / 300 Win Mag / 11"					•	
	Oiled	•	•	•	•	•	
	Open sights	+		+	1000	+	
	Without sights	•	•	•	•	•	
nres	Single stage trigger	•	•	•	٠	•	
Features	Single set trigger	+	+	+	+	+	
	Detachable magazine (DM)	•	•	•	•	•	
	Magazine capacity	5	5	5	5	4	
	Muzzle thread		•		•		

85 HUNTER LEFT-HANDED

Left-handed shooters and hunters now have the option of choosing from the L action size calibers as well. The Sako 85 Hunter left-handed version offers the same wide spectrum of features as the right-handed model.





Total Length

Left-Hande

85 HUNTER LEFT-HANDED

	Action	S		М	М	L		
Dimensions	Barrel length in	22.4	20.0	22.4	20.0	24.4		
Dimer	Weight kg	3.2	3.1	3.3	3.2	3.5		
oves	SAW21H61C / 270 Win / 10"			•	•			
Caliber er of Gro	SAW31H61C / 30-06 / 11"			•	•			
umber / ' Numbe	SAV29H61C / 308 Win / 11"	•						
Product Number / Caliber , 9 of Twist / Number of Groo	SAX27H61C / 7mm Rem Mag / 9.5"					•		
Product Number / Caliber / Rate of Twist / Number of Grooves	SAX33H61C / 300 Win Mag / 11"					•		
	Oiled	•	•	•	•	•		
	Open sights	+		+		+		
	Without sights	•	•	•	•	•		
ures	Single stage trigger	•	•	•	٠	•		
Features	Single set trigger	+	+	+	+	+		
	Detachable magazine (DM)	•	•	•	٠	•		
	Magazine capacity	5	5	5	5	4		
	Muzzle thread		•		•			

* = Special Order

• = as standard, + = as option

1 M.O.A. or better,

STOEGERCANADA.CA



85 LAMINATED STAINLESS

The Sako 85 Laminated Stainless rifle has a high-grade stainless steel barrel, receiver and bolt. The grey matte-lacquered laminated hardwood stock provides a stable platform that withstands even the toughest conditions. The grey straight stock and stainless hardware of the Sako 85 Laminated Stainless makes it one of the world's most distinctive hunting rifles.

85 LAMINATED STAINLESS

	Action	S	S	SM	М	М	L
Dimensions	Barrel length in	22.4	20.0	24.4	22.4	20.0	24.4
Dimer	Weight kg	3.3	3.2	3.4	3.4	3.3	3.6
/ist /	JRS2C18 / 270 Win / 10" / 4				•	•	
ate of Tw	JRS2C20 / 30-06 / 11" / 4				•	•	
Product Number / Caliber / Rate of Twist / Number of Grooves	JRS2C31 / 300 Win Mag / 11" / 4						•
lber / Ca umber o	JRS2C70 / 7mm Rem Mag / 9.5" / 4						•
uct Num N	JRS2C41 / 300 Win Short Mag / 11" / 4			•			
Prod	JRS2C16 / 308 Win / 11" / 4	•	•	2 3.4 3.4 3.3 3			
	Matte lacquered	•	•	•	•	•	•
	Without sights	•	•	•	•	•	•
	Single stage trigger	•	•	•	•	•	•
ures	Single set trigger	+	+	+	+	+	+
Features	Detachable magazine (DM)	•	•	•	•	•	•
	Magazine capacity	5	5	4	5	5	4
	Stainless steel barreled action	•	•	•	•	•	•
	Muzzle thread		•			•	



* = Special Order

• = as standard, + = as option

1 M.O.A. or better, at 100 meters with 5 cartridges.



85 VARMINT STAINLESS

The Sako 85 Varmint Laminated Stainless rifle comes with all the same qualities as the Varmint model, only its stainless metal parts and stable laminate stock are optimized for rough conditions. The fluted barrel increases heat dissipation, decreases overall weight and gives this rifle its distinctive beauty.



PISTOL GRIP

The pronounced pistol grip is designed to improve the ergonomics of the prone position.

85 VARMINT STAINLESS

	Action	XS	XS	S	S
sions	Barrel length in	23.6	20.0	23.6	20.0
Dimensions	Weight kg	3.9	3.7	4.1	3.9
	JRSG522 / 204 Ruger / 12" / 6	•	•		
f Twist / ooves	JRSG512 / 223 Rem / 12" / 6	•	•		
Caliber / Rate of Twist / Number of Grooves	JRSG514 / 22-250 Rem / 14" / 6			•	•
Caliber Numb	JRSG515 / 243 Win / 10" / 6			•	•
	JRSG516 / 308 Win / 11" / 4				•
	Matte lacquered	•	•	•	•
	Without sights	•	•	•	•
	Single stage trigger	•	•	•	•
Sa	Single set trigger	+	+	+	+
Features	Detachable magazine (DM)	•	•	•	•
	Magazine capacity	6	6	5	5
	Stainless steel barreled action	•	•	•	•
	Fluted barrel	•	•	•	•
	Muzzle thread		•		•

40-43.5 in

Total Length

= as standard, + = as option

1 M.O.A. or better, at 100 meters with 5 cartridge:

Sako-18 SAKOCANADA.CA

85 BLACK BEAR

The Sako 85 Black Bear has a medium-contour fluted barrel, a matte black stock with soft gripping surfaces and blued action and barrel. Its light weight, compact size and good weather resistance mean it's a perfect choice for the active hunter. The Sako 85 Black Bear is extremely well balanced, making it ideal for situations that require rapid action.

valuncea, making it ideal for situations that require rapid actions

85 BLACK BEAR

	Action	S	М
Dimensions	Barrel length in	20.0	20.0
Dimer	Weight kg	3,1	3,2
Product Number / Caliber / Rate of Twist / Number of Grooves	JRSBL16 / 308 Win / 11" / 4	•	
	JRSBL20 / 30-06 / 11" / 4		•
	Injection moulded / Painted	•	•
	Open sights	•	•
S	Single stage trigger	•	•
Features	Single set trigger	+	+
<u>R</u>	Detachable magazine (DM)	•	•
	Magazine capacity	5	5

SIGHTS AND BARREL

The 85 Black Bear has rapid target acquisition iron sights with a full rear sight line and bead, and a fluted barrel with a swivel band.

40-40.5 in

Total Length

85 KODIAK

85 KODIAK

	Dimensions	Barrel length in	21.25
	Dime	Weight kg	3.6
	duct lber / ber / f Twist / ber of oves	JRS1W34 / 338 Win Mag / 10" / 6	•
	Product Number / Caliber / Rate of Twist, Number of Grooves	JRS1W37 / 375 H&H Mag / 12" / 6	•
		Matte lacquered	•
		Open sights	•
	Se	Single stage trigger	•
	-eatures	Single set trigger	+
	<u> </u>	Detachable magazine (DM)	•
		Magazine capacity	4
'-		Stainless steel barreled action	•

The straight, weatherproof stock is made of grey laminated hardwood and reinforced with two cross-bolts. The short, free-floating medium contour barrel features adjustable open sights and a band-type front swivel. The barrel is cold hammer forged using high-grade alloy stainless steel. The bolt, receiver and detachable magazine are also made of stainless steel, and provide reliable functioning under severe weather conditions.

The Sako 85 Kodiak was designed with the true hunter in mind.

42 in To

Total Length

85 BROWN BEAR



We have added an everyman's safari rifle into the Sako 85 product family: introducing the Brown Bear in action size XL. This extends the caliber selection of the Bear series to include 416 Rigby, 450 Rigby and 500 Jeffrey. The laminate stock has been redesigned to accommodate larger calibers, while the barrel profile has been redefined for the new calibers.

42-42.7 in

Total Length

85 BROWN BEAR

	Action	L	XL
Dimensions	Barrel length in	21.25	22.0
Dimer	Weight kg	3.6	4.3
	JRSBR34 / 338 Win Mag / 10" / 6	•	
Caliber st / ooves	JRSBR37 / 375 H&H Mag / 12" / 6	•	
duct Number / Calibe Rate of Twist / Number of Grooves	SAY80ZM20 / 416 Rigby / 14" / 6		•
Product Number / Caliber Rate of Twist / Number of Grooves	SAY81ZM20 / 450 Rigby / 14" / 6		•
<u> </u>	SAY82ZM20 / 500 Jeffery / 20" / 6		•
	Oiled	•	•
	Open sights	•	•
Sé	Single stage trigger	•	•
Features	Single set trigger	+	+
	Detachable magazine (DM)	•	
	Fixed magazine (FM)		•
	Magazine capacity	4	4

85 GRIZZLY



The Sako 85 Grizzly adds prestige to the Sako Bear Series. Its high-grade walnut stock, medium-contour fluted barrel and blued action give it an elegant appearance amd make it a pleasure to handle.

> 41.1-41.5 in

Total Length

85 GRIZZLY

	Action	S	М
Dimensions	Barrel length in	21.25	21.25
Dimer	Weight kg	3.5	3.6
duct ber / oer / 'Twist / ber of oves	SAV29D620 / 308 Win / 11" / 4	•	
Product Number / Caliber / Rate of Twist Number of Grooves	SAW31D620 / 30-06 / 11" / 4		•
	Oiled	•	•
	Open sights	•	•
S	Single stage trigger	•	•
Features	Single set trigger	+	+
Ā	Detachable magazine (DM)	•	•
	Magazine capacity	5	5
	Fluted barrel	•	•

* = Special Order

• = as standard, + = as option

1 M.O.A. or better.

Sako-20 SAKOCANADA.CA S

85 BAVARIAN

The Sako 85 Bavarian is a masterpiece, combining a high-grade walnut stock in a Central European tradition with the superior performance and technology of the Sako 85 series. Under its traditional exterior lie new modern features of the Sako 85 action.



BAVARIAN STOCK DESIGN

The oil-finished walnut stock also features a Schnabel-type fore-end and a pistol grip cap in rosewood. The classic checkering pattern of the Sako 85 Bavarian provides both functionality and traditional looks. Other characteristics of this classic model are the Bavarian cheek piece and comb.









Available left-Handed

	Action	S	S	SM	SM	М	М	L
Dimensions	Barrel length in	22.4	20.0	24.4	20.0	22.4	20.0	24.4
Dime	Weight kg	3.2	3.1	3.3	3.1	3.3	3.2	3.5
	JRS3C15 / 243 Win / 11"	•						
es	JRS3C16 / 308 Win / 11" / 4	•						
of Groov	JRS3C18 / 270 Win / 10" / 4					•		
Jumber o	JRS3C20 / 30-06 / 11" / 4					•		
Product Number / Caliber / Rate of Twist / Number of Grooves	JRS3C31 / 300 Win Mag / 11" / 4							
Rate of	JRS3C70 / 7mm Rem Mag / 9.5" / 4							
Caliber /	JRS3C81S / 375 H&H Mag / 12" / 6							•
mber / (JRS3C41 / 300 Win Short Mag / 11" / 4			•	•			
oduct No	LEFT HAND							
Pre	SCW21K681 / 270 Win / 10" / 4					•	•	
	SCW31K681 / 30-06 / 11" / 4					•	•	
	Oiled	•	•	•	•	•	•	•
	Open sights	+	+	+	+	+	+	+
	Without sights	•	•	•	•	٠	٠	•
se	Single stage trigger	•	•	•	٠	٠	•	•
Features	Single set trigger	•	•	•	•	٠	٠	•
, a	Detachable magazine (DM)	•	•	•	٠	٠	٠	•
	Magazine capacity	5	5	4	4	5	5	4
	Muzzle thread		+				+	
	Muzzle brake				+			

^{* =} Special Order



85 BAVARIAN CARBINE

The Sako 85 Bavarian Carbine is developed for hunters who appreciate a high-quality carrying hunting rifle made of beautiful walnut and black steel. The Sako 85 Bavarian Carbine always comes with adjustable iron sights and a single set trigger.





FULLSTOCK

The traditional full-length stock features a rosewood Schnabel.

BAVARIAN STOCK DESIGN

The classic checkering pattern of the Sako 85 Bavarian provides functionality and traditional looks. Other characteristics of this classic model are the Bavarian cheek piece and comb.

85 BAVARIAN CARBINE

	Action	S	М
Dimensions	Barrel length in	20.0	20.0
Dimer	Weight kg	3.1	3.2
ber/ st/ ooves	JRC3C16 / 308 Win / 11" / 4	•	
Product Number / Caliber / Rate of Twist / Number of Grooves	JRC3C18 / 270 Win / 10" / 4		•
Prod Rai Numk	JRC3C20 / 30-06 / 11" / 4		•
	Oiled	•	•
	Open sights	•	•
nres	Single stage trigger	•	•
Features	Single set trigger	•	•
	Detachable magazine (DM)	•	•
	Magazine capacity	5	5

40-45 in

Total Length

* = Special Order

• = as standard, + = as option

1 M.O.A. or better, at 100 meters with 5 cartridges.

Sako-22 SAKOCANADA.CA

^{• =} as standard, + = as option

¹ M.O.A. or better, at 100 meters with 5 cartridge

85 CLASSIC

The Sako 85 Classic comes with the traditional Sako features: a straight and classic oil-finished walnut stock with a rosewood fore-end and butt; a strong extended recoil lug, fastened inside the fore-end; and an integral tapered scope mount rail on the top of the receiver and free-floating barrel. The classic look and feel enhances the experience of owning one of the world's most respected rifles.



85 CLASSIC

	Action	S	М
Oimensions	Barrel length in	22.4	22.4
	Weight kg	3.2	3.3
Product Number / Caliber / Rate of Twist / Number of Grooves	SCW315610 / 30-06 / 11"/ 4		•
Proc Num Calif Rate o / Num Groc	SCV295610 / 308 Win / 11" /4	•	
	Oiled	•	•
	Open sights	+	+
Se	Without sights	•	•
Features	Single stage trigger	•	•
- 8	Single set trigger	+	+
	Detachable magazine (DM)	•	•
	Magazine capacity	5	5

42.3-45 in

Total Length

* = Special Order

• = as standard, + = as optio

1 M.O.A. or better, at 100 meters with 5 cartridge

85 DELUXE

The traditional Sako 85 Deluxe combines an attractive, timeless appearance with superior Sako accuracy and reliability. The warmth of the high-grade walnut stock, rosewood details and classic checkering give this fine rifle its distinctive look. Highly polished metal parts, fixed magazine and the Sako pistol grip inlay are just a few of the custom features of this elegant rifle.

42.7 in

Total Length



	Action	М
Dimensions	Barrel length in	22.4
	Weight kg	3.3
Product Number / Caliber / Rate of Twist / Number of Grooves	JRS1D20 / 270 Win / 10" / 4	•
	Oiled	•
	Without sights	•
Features	Single stage trigger	•
Feat	Single set trigger	•
	Fixed magazine (FM)	•
	Magazine capacity	5

The design of the 85 Deluxe focuses on fine details. A golden colour is embedded in the trigger next to polished deep black steel surfaces – the perfect design for a Deluxe look.

FINE DETAILS



* = Special Order

• = as standard, + = as option

1 M.O.A. or better,
t 100 meters with 5 cartridge

Sako-24 SAKOCANADA.CA S



The Sako 85 Limited Edition premium Safari rifles are made by Sako's master gunsmiths. These beautiful rifles are made one by one and with an eye for detail and perfection. The Sako 85 Safari is a bolt-action rifle made for the most demanding hunters. Each Safari rifle is hand-finished and the barreled action is epoxybedded to the stock to provide you with the best and most durable fit and accuracy.

	Action	L
Dimensions	Barrel length in	24.5
Dime	Weight kg	4.1
Product Number / Caliber / Rate of Twist / Number of Grooves	SAX398622* / 375 H&H Mag / 12" / 6	•
	Oiled	•
s e	Open sights	•
Features	Single stage trigger	•
ů.	Fixed magazine (FM)	•
	Magazine capacity	5

Magazine capacity



PREMIUM STOCK

The classic appearance of the handmade Safari stock is finished off with a custom-made Pachmayr recoil pad. The high-grade walnut stock features traditional hand-cut checkering and the force-end tip and pistol grip cap are made of ebony.

42.7 in

Total Length

Special Order

| * - Special Order | * - as standard, + - as option | 1 M.O.A. or better, at 100 meters with 5 cartridges. |

| ** - Special Order | ** - As standard, + - As option | 1 M.O.A. or better, at 100 meters with 5 cartridges. |

| ** - Special Order | ** - As standard, + - As option | 1 M.O.A. or better, at 100 meters with 5 cartridges. |

| ** - Special Order | ** - As option | 1 M.O.A. or better, at 100 meters with 5 cartridges. |

| ** - Special Order | ** - As option | 1 M.O.A. or better, at 100 meters with 5 cartridges. |

** - Special Order	** - As option	5 M.O.A. or better, at 100 meters with 5 cartridges.
** - Special Order	** - As option	5 M.O.A. or better, at 100 meters with 5 cartridges.
** - Special Order	** - As option	5 M.O.A. or better, at 100 meters with 5 cartridges.
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, at 100 meters with 5 Cartridges.	
** - Special Order	5 M.O.A. or better, a	



SAKO MAGAZ	INES
S5A60381	85-XS MAG 204, 222, 223 - BLUED 4RD
S5A60382	85-SM MAG 270 WSM, 300 WSM - BLUED 4RD
S5A60384	85-S MAG 243WIN,260REM,7MM-08,308,338 FED -BLUED 5RD
S5A60385	85-S MAG 22-250 BLUED - 5RD
S5A60386	85-M MAG 25-06, 270WIN, 30-06, 9.3X62 - BLUED 5RD
S5A60387	85-M MAG - 9.3X66 BLUED - 5RD
S5A60388	85-M MAG 6.5X55 - BLUED 5RD
S5A60389	85-L MAG 7MM, 300WIN, 338WIN, 375 H&H - BLUED 4RD
S5AR0381	85-XS MAG 204, 222, 223 - S/S 4RD
S5AR0382	85-SM MAG 270 WSM, 300 WSM - S/S 4RD
S5AR0384	85-S MAG 243WIN,260REM,7MM-08,308,338FED -S/S 5RD
S5AR0385	85-S MAG 22-250 - S/S 5RD
S5AR0386	85-M MAG 25-06, 270WIN, 30-06, 9.3X62 - S/S 5RD
S5AR0387	85-M MAG 9.3X66 - S/S 5RD
S5AR0388	85-M MAG 6.5X55 - S/S 5 RD
S5AR0389	85-L MAG 7MM, 300WIN, 338WIN, 375 H&H - S/S 4RD
S5AA0382	85-SM FINNLIGHT MAG 270 WSM, 300 WSM 4RD S/S
S5AA0384	85-S FINNLIGHT 243WIN,260REM,7MM-08,308,338FED - 5RD
S5AA0385	85-S FINNLIGHT MAG 22-250 - 5RD
S5AA0386	85-M FINNLIGHT MAG 25-06, 270WIN, 30-06, 9.3X62 - 5RD
S5AA0388	85-M FINNLIGHT MAG 6.5X55 - 5RD
S5AA0389	85-L FINNLIGHT MAG 7MM, 300WIN, 338WIN, 375 H&H - 4RD
S5A3204496	85-SM FINNLIGHT II SS MAG 22-250 - 5RD
S5A3204494	85-L FINNLIGHT II SS MAG 243/7MM-08/308/260/6.5 CREEDMOOR - 5RD
S5A6204495	85-L FINNLIGHT II SS MAG 7MM, 300WIN - 4RD
S5A5204493	85-SM FINNLIGHT II SS MAG 270WSM, 300WSM - 4RD
S5A4204498	85-M FINNLIGHT II SS MAG 25-06, 270WIN, 30-06 - 5RD
S5A4204497	85-M FINNLIGHT II SS MAG 6.5X55 - 5RD
S54063157	MUZZLE BRAKE CONICAL BLACK M15X1
S54067687	MUZZLE BRAKE SLIM BLACK M15X1
S54063161	MUZZLE BRAKE CONICAL STAINLESS M15X1

MUZZLE BRAKE SLIM STAINLESS M15X1

MUZZLE BRAKE SAKO/TIKKA 14X1 SLIM STAINLESS

M-LOCK SLING SWIVEL SOCKET MIL SLING LUG/QD SOCKET

MUZZLE BRAKE SAKO/TIKKA 14X1 SLIM BLUED

Sako-26 SAKOCANADA.CA SAKOCANADA.CA Sako-27

S54067685

S530203974 S530203976

S540201130





40.3 in

Total Length

FINNFIRE II

We take pride in our past, and the Sako Finnfire II celebrates the old Finnfire rifle. The Finnfire II brings a kind of retro spirit into our rimfire selection and features some of the classic design elements of the old Finnfire.

FINNFIRE II


	Action	P04R
Dimensions	Barrel length in	22.0
	Weight kg	2.8
Product Number / Caliber / Rate of Twist / Number of Grooves	S1B051610 / 22 LR / 16.5" / 6	•
Product / Cali Rate of Numk Groc	S1B021610 / 17 HMR / 9" / 6	•
	Oiled	•
	Open sights	+
	Without sights	•
Features	Single stage trigger	•
Feat	Single set trigger	+
	Detachable magazine (DM)	•
	Magazine capacity	5
	Muzzle thread	+





BOLT HANDLE

The Sako Finnfire II has a full metallic bolt handle in the spirit of the old Finnfire.



The barrel change only takes a few seconds: Just insert a tool, turn it three full circles, and tilt the barrel upwards while pulling out the action. Then simply insert another barrel, and possibly change caliber. This makes the Sako Quad extremely versatile – and its accuracy is phenomenal. Corresponding barrels have individual serial numbers. However, the Sako Quad is no ordinary rimfire: It is a small bore hunting and training firearm that functions as its own system, complete with several options to choose between.

QUAD RANGE

The Sako Quad Range is an extremely versatile rimfire rifle, ready to accompany you to a small game hunt or the range. An ergonomic stock combined with high adaptability makes for a unique, reliable rifle.



QUAD HUNTER PRO

The Sako Quad Hunter Pro has the latest Sako features and is designed to look and feel like a traditional Sako hunting rifle. The full-sized walnut stock resembles the famous Sako 75 design and offers the same accuracy as all legendary Sako hunting rifles.



QUAD HUNTER PRO

	Action	P04R
Dimensions	Barrel length in	22.0
Dime	Weight kg	2.8
Product Number / Caliber / Rate of Twist / Number of Grooves	S17051620 / 22 LR / 16.5"	•
Proc Num Calik Rat Twi Numk Groc	S17021620 / 17 HMR / 9"	•
	Oiled	•
	Open sights*	•
S.	Single stage trigger	•
Features	Single set trigger	+
፳	Detachable magazine (DM)	•
	Magazine capacity	5
	Muzzle thread	+

COLOUR CODING

Both barrels and magazines are colourcoded and marked to indicate matching pairs.





40.3

Total Length

QUAD VARMINT

The Sako Quad Varmint is an excellent choice for hunting and bench-rest target shooting with its flat-bottomed extra wide fore-end and heavier barrel.

QUAD VARMINT

	Action	P04R	
Dimensions	Barrel length in	22.0	
Dimer	Weight kg	3.5	
aliber / ate of Twist	SS705R610 / 22 LR / 16.5"	•	
Caliber Rate o	SS702R610 / 17 HMR / 9"	•	
	Injection moulded / Painted	•	
	Open sights*		
Se Se	Single stage trigger		
Features	Single set trigger	•	
T E	Detachable magazine (DM)	•	
	Magazine capacity	5	
	Muzzle thread	+	

QUAD SYNTHETIC

The Sako Quad Synthetic comes with a stylish modern synthetic stock, blued barrels and a black rubber recoil pad. Sako Quad butt stock spacers are available for modifying the length of pull.





QUALITY RIMFIRE

ALL Sako Quad rifles are built with the same standards as Sako centerfire rifles. The same feel, ergonomics and quality are implemented for our rifles of larger calibers. we want to provide our customers with Sako's known high-quality features - regardless of the caliber.

QUAD SYNTHETIC

	Action		P04R
Dimensions	sions	Barrel length in	22.0
Dimer		Weight kg	2.6
oer/	<u>ਲ</u>	S1705LL20 / 22 LR / 16.5"	•
Calik Rate	Caliber, Rate of Twist	S1702LL20 / 17 HMR / 9"	•
		Injection moulded / Painted	•
		Open sights*	
se		Single stage trigger	•
eature	Features	Single set trigger	+
ı ı		Detachable magazine (DM)	•
		Magazine capacity	5
		Muzzle thread	+

* = Special Order

• = as standard, + = as option

Sako-30

QUAD HEAVY BARREL





CHEEK PIECE


The Monte-Carlo type cheek piece on a black synthetic stock grants a great bench shooting position. The rifle's length of pull can be adjusted with recoil pad spacers.

QUAD HEAVY BARREL

	Action	
Dimensions	Barrel length in	22.0
Dimer	Weight kg	3.2
aliber / Rate of Twist	SS7053L10 / 22 LR / 16.5"	•
Calik Rate Tw	SS7023L10 / 17 HMR / 9"	•
	Injection moulded / Painted	•
	Open sights*	
se	Single stage trigger	
Features	Single set trigger	•
	Detachable magazine (DM)	•
	Magazine capacity	5
	Muzzle thread	

^{* =} Special Order

• = as standard, + = as opt



85 LONG RANGE

If you are looking to shoot far, the Sako 85 Long Range rifle serves you well. This rifle has been designed for long-range hunting in particular. Specific details, such as a muzzle brake, 26" match grade barrel,

double sling studs and a stock designed for the prone position, guarantee that you will hit your target even

from extreme distances.

85 LONG RANGE



MUZZLE BRAKE

Flush design muzzle brake was added to reduce the recoil.

Muzzle brake will make it easier to keep the target in sights after the shot.



STOCK

The Sako 85 Long Range has a flat fore-end that provides better support while shooting without a bipod. The double studs enable simultaneous attachment of both the sling and bipod.



85 LONG RANGE

	Action	L	XL
sions	Barrel length in		26
Dimensions	Weight kg	4.4	4. 4
Product Number / Caliber / Rate of Twist / Number of Grooves	SAX33WM12M / 300 Win Mag / 11" / 4		
	SAY44WM12M / 338 Lapua Mag / 10" / 4		•
	Matte lacquered	•	•
	Without sights	•	•
	Single stage trigger	•	•
Features	Single set trigger	+	+
Feat	Fixed magazine (FM)	•	•
	Magazine capacity	4	4
	Muzzle brake	•	•
	Muzzle thread	•	•



Total Length

* = Special Order

• = as standard, + = as op

1 M.O.A. or better, at 100 meters with 5 cartridge

Sako-34 SAKOCANADA.CA Sako-35



The Sako TRG is an accuracy concept designed to accomplish a single-minded mission: to hit the target – whatever it takes. It is a result of Sako's ambitious innovation laboratories, giving you unique performance that surpasses the highest demands for accuracy, reliability and versatility.

The TRG Accuracy concept is designed to meet individual demands. This means that it adapts to each shooter's personal style, build and posture. The super target-grade barrel, made especially for the TRG rifles, is cold-hammer forged. The sturdy bolt with three locking lugs accurately feeds rounds from the centerline of a detachable staggered two-row magazine. All Sako TRG receivers are drilled and tapped for a Picatinny rail.

Compositions include black, forest green or desert tan coloured aluminum-reinforced stocks with various barrel and action finishes.

The TRG Accuracy Concept serves several military and law enforcement organizations as their primary sniper weapon system. The rifle is also used by long-range competition shooters and is a CISM competition winner.



TRG 22

The TRG 22 in .308 Win rifle can handle a multitude of accuracy tasks and is a thoroughbred 300 m ISSF standard competition rifle – and a CISM

TRG 22

	Action	TRG-22
Dimensions	Barrel length in	26
Dine	Weight kg	4.9
Product Number / Caliber / Rate of Twist / Number of Grooves	308 Win / 11" / 4 S1L292B10 / Blued - No Rail S1L2924P0 / Black Stealth S1L292DP0 / Dessert Tan	
Product / Rate	S1L6324P0 / 6.5 Creedmoor / 8" / 4	•
	Injection moulded / Painted	•
	Without sights	•
	Picatinny-rail	+
	Double stage trigger	•
Features	Detachable magazine (DM)	•
Feat	Magazine capacity	10
	Muzzle brake	+
	Muzzle thread	•
	Phosphatized steel parts	+
	Black bolt	•

Total Length

45.4 in

* = Special Order
• = as standard, + = as option
1 M.O.A. or better,

NEW

TRG 22/42 A1

The Sako TRG 22 and 42 A1 are made for one specific task: to hit the target – whatever it takes. The 22 and 42 A1 have been taken to the next level with new features inspired by our flagship model, the TRG M10.





FULLY ADJUSTABLE REAR STOCK

All adjustments can be done quickly without the use of any tools. The stock can also be securely locked down when required.

> 40.0-43.5 in

20-27 in 3.7-4.1 kg

Total Length B

Barrel Length

Overall Weight

MODULAR M-LOK FORE-STOCK

CALIBER | RATE OF TWIST | BARREL LENGHT | SIGHTS

The M-LOK standard has a robust design and is compatible with a wide range of accessories. The M-LOK interface is also easy to use and offers a secure lock for many different applications.

TRG 22 A1 (10 rounds in magazine):

 S1L2918A265864
 TRG22 A1 PHOS/BLACK STEALTH 308 Win | 11" | 20" | N/S | MT

 S1L2918A2658E4
 TRG22 A1 PHOS/BLACK STEALTH 308 Win | 11" | 26" | N/S | MT

 S1L6318A2658E0
 TRG22 A1 PHOS/BLACK STEALTH 6.5 Creedmoor | 26" | N/S | MT

TRG 42 A1 (5 rounds in magazine):

\$1M4418A2658L3 TRG42 A1 PHOS/BLACK STEALTH 338 LM | 10" | 27" | N/S MT \$1M4418A2958L3 TRG42 A1 PHOS/COYOTE BROWN 338 LM | 10" | 27" | N/S | MT



DOUBLE PLUNGERS

The TRG 42 is equipped with double plungers, which make frequent cartridge ejection more seamless than ever.

TRG 42

BLACK, GREEN & DESERT TAN

The Sako TRG 42 is a firearm for serious long-range competitions and can be equipped with a vast array of accessories to meet the most demanding requirements.






FOLDING STOCK

The folding stock can be retrofitted to all TRG precision sniper rifles without any modifications to the weapon itself.



TRIGGER MECHANISM & BOLT HANDLE

The 2013 TRG update also introduced a new trigger mechanism for both the 22 and 42 models. This new mechanism ensures improved safety measures in case the rifle is accidentally dropped. It also features a new safety lever, which is ergonomically positioned and designed to make it faster and more convenient to use. The TRG 22/42 bolt handle attachment has been improved to withstand even the roughest handling.



frequent cartridge ejection even more seamless.



TRG 42

	Action	TRG-42	TRG-42
Dimensions	Barrel length in	26	20
Dimer	Weight kg	5.3	5.1
Product Number / Caliber / Rate of Twist / Number of Grooves	338 Lapua Mag / 10" / 4 S1M442B10 / Blued S1M4424P0 / Black Stealth - With Rail S1M442DP0 / Dessert Tan - With Rail		
	Injection moulded / Painted	•	•
	Without sights	•	•
	Picatinny-rail	+	+
	Double stage trigger	•	•
ures	Detachable magazine (DM)	•	•
Features	Magazine capacity	5	5
	Muzzle brake	+	+
	Muzzle thread	•	•
	Phosphatized steel parts	+	+
	Black bolt	•	•

40.1-47.2 in

Total Length

* = Special Order

• = as standard, + = as option

1 M.O.A. or better,

TRG M10

COYOTE BROWN

The TRG M10 is is a bolt action, multi-caliber, manually operated, magazine-fed shoulder-fired sniper weapon with a high-capacity magazine and fully adjustable stock that provides a single weapon system solution for many different applications. A high level of configurability make the TRG M10 an extremely versatile platform: it easily converts from a true long-range precision rifle to a more compact piece of equipment.



FULLY ADJUSTABLE REAR STOCK

All adjustments can be done quickly without the use of any tools. The stock can also be securely locked down when required by using tools that come inside the weapon. The pistol grip has an interchangeable back strap in three different sizes; all three are included in the standard package.

TRG M10

	Action	308WIN	338LM
Dimensions	Barrel length in	25.8	27
Dimer	Weight kg	6.1	6.5
/ Calib- ist / oves	W2S2985LMS / 308 Win / 11" / 4	•	
nber / Cali of Twist / if Grooves	W2S4485LMSS / 338 Lapua Mag / 10" / 4		•
Product Number / er / Rate of Tw Number of Gro	\$16062000CB / Caliber change kit 308 Win - 20" \$16062001CB / Caliber change kit 308 Win - 23.5" \$16062004CB / Caliber change kit 300 Win - 27" \$16062005CB / Caliber change kit 338 ML - 20"		
	Synthetic	•	•
	Without sights	•	•
	Picatinny-rail or Weaver base	•	•
	Double stage trigger	•	•
S	Detachable magazine (DM)	•	•
Features	Magazine capacity	11	8
	Stainless steel barrel	•	•
	Muzzle brake	+	+
	Muzzle thread	•	•
	Phosphatized steel parts	•	•
	Black bolt	•	•

TACTILE INDICATORS

Identification of modular components for different calibers can be done visually or from tactile indicators placed on each critical component.

40.5-48 in

Total Length



AMBIDEXTROUS CONTROLS

The ambidextrous controls are well within the reach of the firing hand and are large enough to be also operated with gloves on. The robust and fully adjustable trigger unit can be detached for maintenance and adjustment without further disassembling the weapon.

* = Special Order

• = as standard, + = as optio

1 M.O.A. or better.

Sako-40 SAKOCANADA.CA



209638	KLEENBORE CLEANING SET - TRG-22/42
S5740394	CHEEK PIECE SPACER - TRG-22/42 10MM BLACK
S5740494	CHEEK PIECE SPACER - TRG-22/42 10MM GREEN
S5740694	CHEEK PIECE SPACER - TRG-22/42 3MM BLACK
S5740695	CHEEK PIECE SPACER - TRG-22/42 3MM GREEN
S584S420	BUTT SPACER - STRAIGHT - TRG-22/42
S584S421	BUTT SPACER - UPWARDS ANGLED - TRG-22/42
S584S422	BUTT SPACER - DOWNWARDS ANGLED - TRG-22/42
S5740384	MAG - TRG-22 10RD
S5740387	MAG - TRG-42 300 WIN MAG 7RD
S5740385	MAG - TRG-42 338 LAPUA 5RD
EB-E2SME	SAKO SOFT GUN BAG BY EBERLESTOCK
S57762747	TRANSPORTATION CASE M10 EXPLORER 11413D
S57462657	TRG M10 TRANSPORTATION CASE - BLACK
S57761814CB	MAGAZINE TRGM10 8RD 338LM CB
S57761923CB	MAGAZINE TRGM10 10RD 308WIN CB
S57761939CB	MAGAZINE TRGM10 10RD 300WIN CB
SP-4001S	SAKO SCOPE MOUNT 34MM/H30MM, 0MOA PICATINNY
SP-4002S	SAKO SCOPE MOUNT 34MM/H38MM, 0MOA PICATINNY
S57464989	SAKO MAINTENANCE KIT TRG M10
209507	BIPOD HARRIS S/BRM ULTRALIGHT
BT-21385	B/T ADAPTER NAR QD FOR HARRIS BIPOD
S57762061	REAR SUPPORT SAKO TRG M10
209529	NYLON CARRYING SLING (DESERT), COMPLETE WITH HOOK-TYPE SWIVELS
209530	TRG CARRYING SLING, 40MM (DESERT), NO SWIVELS INCLUDED
BT10LW17	BIPOD ATLAS BT10-LW18
BT46LW17	PSR ATLAS BIPOD - LEVER w/ADM 170-S LEVER
BT28	AFAR KIT
5120	ALAN MI
BT10	ATLAS BIPOD - STANDARD 2 SCREW 1913 RAIL CLAMP
BT21	ATLAS BIPOD TRG MOUNTING SYSTEM
BT23	ATLAS BIPOD QUICK CHANGE, SKI FEET, PAIR (2)
	ATLAS BIPOD QUICK CHANGE, CLEAT FEET, PAIR (2)
BT24	
BT30T	ATLAS STANDARD RUPPER FEET, PAIR (2)
BT32	ATLAS STANDARD RUBBER FEET, PAIR (2)
BT37	ATLAS SPIKE FEET, PAIR (2) - STAINLESS STEEL, 1.45" LONG QUICK CHANGE
BT12QK	ACCU-SHOT PRECISION RAIL MONOPOD - PRM STANDARD HEIGHT W/QUICK KNOB
	(est 3.75-4.65")

Sako-42 SAKOCANADA.CA Sako-43



The Optilock[™] scope mounts offer refined design that perfectly compliments Sako manufactured rifles. In order to offer even better usability, the Optilock™ scope mounts have received new features and improvements that will make this well regarded scope mounting system the choice for ultimate accuracy.

The standard Optilock™ base features an indexing edge that makes it easier to tighten the ring without any accidental rotation. All new Optilock™ bases have a brand new angular design to perfectly go along with the beauty of the rifle itself.








Optilock™ bases and adjustment rings are offered in multiple different lengths and sizes. This allows for a multitude of different scope sizes and brands to be fitted onto Sako & Tikka rifles.

The ring insert of the inner scope is made of polymer and protects the scope tube from deforming.

The new 34mm and 36mm ring sizes are always paired with the heavy duty (HD) bases. This is done to offer maximum durability while mounting even the heaviest of scopes and to guarantee that they have zero flex or movement.





OPTILOCK™ QUICK MOUNT

The new Optilock™ quick mount is the most versatile and easy way to mount optics to your rifle. Using the quick mount, a hunter or a shooter can easily dismount the scope from the rifle just by simply turning the levers on the base. Likewise, the scope can be quickly and safely installed back onto the rifle securely by turning the levers. All this can be done with a minimal shift to the impact point due to the high tolerance of the structure. By having two sets of quick mount rings it's even possible to change into a different scope in the middle of a hunting day if needed.




QUICK GUIDE for selection



1 Choose **OPTILOCK BASE**:

Rifle	Select the following Optilock Base:
Tikka, 17 mm rail	Optilock Base, Tikka*
Sako 85 (XS-SM), Sako 75 (I-III, SM), Sako L461/L579, S491/M591	Optilock Base, Sako Short*
Sako 85 (SM-L), Sako 75 (III-V)	Optilock Base, Sako Long*
Sako 85 (M-XL), Sako 75 (IV-V)	Optilock Base, Sako Extended
Sako Quad, Finnfire II, 11mm rail	Optilock Base, Sako Rimfire
Sako A7, Picatinny/Weaver	Optilock Base, Weaver Rail





		<u>`</u>				
(A)		В	Select the following Optilock Ring:		Select the follo	
Tube	Objective oute	r diameter (mm)				
diameter	w/ std barrel	w/ heavy barrel		- -		
	<59	<51	\rightarrow	1" XTRA LO*		
1"	<63	<55	\rightarrow	1" LO*		
	<73	<65	\rightarrow	1" ME*		
	<83	<75	\rightarrow	1" HI*		
	<63	<55	\rightarrow	30mm XTRA LO*		
30 mm	<67	<59	→	30mm LO*		
30 11111	<75	<67	\rightarrow	30mm ME*		
	<83	<75	\rightarrow	30mm HI*		
34 mm	<77	<69	\rightarrow	34mm LO*		
34 MM	<87	<81	\rightarrow	34mm ME*		
36 mm	<79	<71	\rightarrow	36mm LO*		

*Also available as Quick-Release (QR) model. IMPORTANT! Quick-release base always requires specific Quick-Release Ring. 34mm and 36mm rings come with proprietary Optilock HD bases. These rings are not compatible with standard bases.

With every Optilock™ package the user can find a selection table behind the box. This ensures it's easy to find the correct base & ring combination for your exact needs.

More info at www.sako.fi

Sako-44 SAKOCANADA.CA Sako-45





- 1 SAKO HAMMERHEAD Heavy, jacketed bonded core, soft point for larger calibers. Specially designed bullet form and construction prevents core separation and allows controlled mushrooming for excellent stopping power. The bullet is very effective for elk type big game hunting at short and medium ranges.
- 2 SAKO SUPER HAMMERHEAD Heavy jacketed, strong and nonfragmenting, ensuring controlled expansion. Bonded core construction produces high weight retention, producing good penetration. Boat-tailed for high-ballistic efficiency means flatter trajectory. First developed and tested in Sako ballistic laboratories, followed by actual extensive big game hunting tests.
- 3 GAMEHEAD Traditional and accurate soft point bullet. Excellent all-purpose hunting bullet on small/medium sized game.
- 4 DEERHEAD Deerhead is a bonded all-around bullet that can withstand extreme deformation without separation of the jacket from the lead core. Bullet expand rapidly and seldom loses more than 10% of its original weight.

- 5 TWINHEAD II With its unique cross-member jacket design and the bonded front core, the Swift A-Frame™ Bullet has become famous for its ability to combine three critical performance features controlled expansion, deep penetration and 95% weight retention at all velocities.
- 6 SPEEDHEAD Full metal jacket bullet that delivers ultimate accuracy for target shooting and small game hunting. Ensures minimal pelt and meat damage on furred game or in bird hunting.
- RACEHEAD OTM A thin jacketed, match grade open tip boat tailed bullet developed solely for rifle competition. When You need long-range accuracy, demand this load.

KNOW YOUR GAME

At Sako, we take great pride in our work. Each rifle is carefully assembled by a single person, and each individual barrel is visually inspected. Each rifle then goes through manual accuracy testing to confirm that the rifle can perform under 1MOA accuracy.

RAPID EXPANSION SERIES

Maximized stopping power for small game. Non-bonded core and a lighter jacket. Mainly used for varmint and trophy hunting.





CONTROLLED EXPANSION SERIES

Optimized stopping power and good durability against bone. Bonded core and a thicker jacket. Mainly used for hunting medium and big game.











Precision perfomance and optimal aerodynamics. Higher shooting velocity, less bullet drop and



			BULLET			GAME					VELOCITY BARREL			ENERGY				TRAJECTORY											
PRODUC NUMBER	CALIBER	Code	NAME		Weight	20.01	Me	Ke	Ka	Pe	Hi	Ka	Pu	т	•		n/s		LENGHT			ules	000	50		<u> </u>	of Sight 4.5		1 222
C609106GSA10	222 Rem	106G	■ GAMEHEAD	g 3.2	grs 50	BC G1 0.181		_	_					_	9 70	100 795	200 640	300 505	600	0 1524	100 1 024	200 664	300 414	50 0.4	100 2.1	150 0	- 7.0	250 - 19.8	300 - 40.8
	222 Rem	110G	■ GAMEHEAD	3.56	55	0.207		-	-					_	950	798	662	540	600	1608	1136	781	520	0.4	2.1	0	-6.8	-19.1	-38.5
														_															
	223 Rem	106G	GAMEHEAD	3.2	50	0.181								•	970	799	644	506	600	1505	1021	664	410	0.4	2.1	0	-6.9	-19.9	-40.8
	223 Rem	110G	GAMEHEAD	3.56	55	0.207			_						965	812	674	551	600	1660	1174	810	541	0.3	2.0	0	-6.5	-18.4	-36.9
	223 Rem Range	105G	SPEEDHEAD	3.2	50	0.181	-							-	1025	843	683	542	600	1702	1151	756	475	0.0	1.8	0	-6.0	-17.3	-35.2
	22-250 Rem	106G	■ GAMEHEAD	3.2	50	0.181		•	•					-	1125	929	760	609	600	2050	1399	935	602	-0.5	1.2	0	-4.7	-13.6	-27.8
	22-250 Rem	110G	■ GAMEHEAD	3.56	55	0.207			•						1100	931	781	647	600	2156	1544	1087	745	-0.5	1.2	0	-4.6	-13.1	-37.7
C615113ESA10	243 Win	113E	■ GAMEHEAD	6.5	100	0.367		•	•						905	819	737	660	600	2654	2175	1761	1410	0.3	2.1	0	-6.0	-16.6	-32.3
C661160HSA10	260 Rem	160H	■ TRG PRECISION	8.8	136	0.545	•								840	785	733	682	600	3105	2714	2362	2046	0.8	2.4	0	-6.6	-17.7	-33.8
C619122HSA10	6.5x55 SE	122H	■ DEERHEAD	10.1	156	0.377			•	•					760	684	613	546	630	2920	2366	1898	1507	1.9	3.6	0	-9,3	-24.9	-48,3
C663123HSA10	6.5 Creedmoor	123H	■ DEERHEAD	10.1	156	0.348			•	•	•				815	732	653	579	600	3354	2704	2152	1690	1.2	2.9	0	-8.0	-21.8	-42.1
C663128HSC4R	6.5 Creedmoor	128H	■ SPEEDHEAD	9.3	144	0.636	•	-		•					820	774	729	685	600	3127	2784	2470	2183	0.9	2.5	0	-6.2	-18.2	-34.5
C663160HSA10	6.5 Creedmoor	160H	■ TRG PRECISION	8.8	136	0.545								=	860	805	751	700	600	3254	2850	2484	2155	0.6	2.2	0	-6.2	-16.8	-31.9
C621211BSA10	270 Win	211B	■ HAMMERHEAD	10.1	156	0.321			•	•					830	738	653	573	580	3482	2756	2155	1660	1.1	2.8	0	-8.0	-21.6	-41.5
C627216BSB10	7 mm Rem Mag	216B	HAMMERHEAD	11.0	170	0.407				•	•	•			860	786	715	648	630	4074	3400	2816	2315	0.7	2.3	0	-6.7	-18.3	-35.2
C629235ASA10	308 Win	235A	SUPER HAMMERHEAD	9.7	150	0.410			-	•					855	781	712	645	600	3546	2961	2456	2020	0.8	2.3	0	-6.8	-18.5	-35.6
C629236ASA10	308 Win	236A	SUPER HAMMERHEAD	11.7	180	0.421					•				760	693	630	570	600	3369	2802	2313	1892	1.8	3.5	0	-9.1	-24.0	-45.8
C629157ASA10	308 Win	157A	■ TRG PRECISION	11.5	175	0.490								-	800	741	684	630	600	3680	3157	2691	2279	1.2	2.8	0	-7.6	-20.5	-39.0
C631228ASA10	30-06 Spring	228A	HAMMERHEAD	14.3	220	0.408				•					720	653	590	530	600	3695	3041	2478	2006	2.4	4.0	0	-10.1	-27.5	-53.2
C631235ASA10	30-06 Spring	235A	SUPER HAMMERHEAD	9.7	150	0.410			-						900	824	752	684	600	3929	3293	2742	2267	0.4	2.0	0	-5.9	-16.1	-31.2
C631236ASA10	30-06 Spring	236A	SUPER HAMMERHEAD	11.7	180	0.421					•				820	750	684	621	600	3922	3282	2727	2248	1.1	2.7	0	-7.6	-20.5	-38.9
C671236ASB10	300 WSM	236A	SUPER HAMMERHEAD	11.7	180	0.421				•		•			885	812	742	676	600	4568	3844	3214	2669	0.5	2.1	0	-6.1	-16.6	-32.2
C633235ASB10	300 Win Mag	235A	SUPER HAMMERHEAD	9.7	150	0.410			•	•					1010	927	850	776	650	4948	4172	3503	2924	-0.3	1.3	0	-4.4	-12.3	-23.8
C633236ASB10	300 Win Mag	236A	SUPER HAMMERHEAD	11.7	180	0.421									880	807	738	672	650	4517	3799	3175	2635	0.6	2.2	0	-6.1	-16.9	-32.7
C633157ASB10	300 Win Mag	157A	■ TRG PRECISION	11.3	175	0.490									965	900	837	777	650	5355	4658	4031	3470	-0.1	1.4	0	-4.7	-12.8	-24.7
C637211FSB10	338 Win Mag	211F	■ HAMMERHEAD	16.2	250	0.342				•		•			745	664	588	518	620	4496	3572	2801	2176	2.2	3.9	0	-9.8	-27.1	-52.8
C644300FSB10	338 Lapua Mag.	300F	RACEHEAD	19.4	300	0.768								•	835	795	757	719	650	6781	6144	5566	5022	1,1	2.5	0	-6,4	-16,9	-32
C639480DSB10	375 H&H Mag	480D	TWINHEAD II	19.4	300	0.325									760	674	594	520	620	5615	4416	3426	2627	2.0	3.7	0	-9.5	-26.3	-51.4
C680485DSB50	416 Rigby	485D	■ TWINHEAD II	25.9	400	0.367						•			735	660	589	522	650	6996	5640	4492	3529	2.2	3.9	0	-10.2	-27.4	-52.7
C681486DSB50	450 Rigby	486D	■ TWINHEAD II	29.2	450	0.325						•			735	651	571	497	650	6996	5640	4492	3529	2.2	3.9	0	-10.6	-28.8	-55.7
	500 Jeffery	487D	■ TWINHEAD II	34.7	535	0.285						_	-		720	625	537	456	650	8994	6781	5003	3600	2.7	4.5	0	-11.8	-32.1	-62.7

FURRED SMALL GAME & GAME BIRDS

BIG GAME, DEER & MID SIZED ANTELOPES

HEAVIEST BIG GAME, CAPE BUFFALO ETC.

VARMINT & SMALL GAME

BIG GAME, MOOSE, ELAND, BEAR, LION ETC.

TARGET SHOOTING, COMPETITION

LIGHT "BIG GAME", ROE DEER & SMALL ANTELOPES

BIG GAME, BEAR ETC.

**Before hunting check the local caliber / bullet regulations. Unprimed cases for all the calibers in the data table are available for reloaders.

The best way to build your confidence in field accuracy is to practice. You can improve your shooting skills without spending too much money. Sako range cartridges provide you with training and competition cartridges in larger quantities at affordable prices. Sako range cartridges are available in ten popular calibers.

SAKO RANGE CARTRIDGES	CALIBER	TYPE	WEIGHT, G / GRS	MUZZLE VELOCITY, M/S	BOX, PCS
	222 Rem	Range	3.2 / 50	975	100
	223 Rem	Range	3.2 / 50	985	100
	260 Rem	Range	6.5 / 100	920	50
	308 Win	Range	8.0 / 123	900	50
	308 Win	Super Range	6.6 / 102	950	50
	6,5x55SE	Range	6.5 / 100	850	50
	7.62x53R	Range	8.0 / 123	900	50
	30-06 Sprg	Range	8.0 / 123	900	50
	9.3x62	Range	15.0 / 231	770	50
	9.3x66	Range	15.0 / 231	720	50

Sako-48 SAKOCANADA.CA Sako-49

SAKO BALLISTICS

The Sako Mobile Ballistics App is an easy-to-use ballistic calculator allowing hunters and long-range shooters to identify the right cartridge for the given purpose.

The application stores data on all of Sako's cartridges, and you may create your own profile to Your rifle and ammunition combo. The software is free of charge and provides you with product pictures as well as specifications in order to help you find your match. Download it from the App Store or Google Play, and create your own profile. An internet-based desktop version can be found under bullet.sako.fi.

SOFTWARE FEATURES



Different user profiles



Create custom cartridges



Metric and imperial units



Bullet review



Various scope clicks



Variable zeroing range




Temperature compensation



Air pressure compensation



Uphill and downhill compensation





CHECK OUT OUR NEW BALLISTICS CALCULATOR! BULLET.SAKO.FI