

TIKKA T1x MULTI TASK RIMFIRE

NUMEROUS TARGETS, ONE SOLUTION

AVAILABLE AS LEFT-HANDED

16 20

BARREL LENGTH

10 **ROUNDS** 2.4-2.6

MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER AND BARREL LENGTH

ACTION

The action shares the same bedding surfaces and inlay footprint with the centerfire T3x rifles.

Product Code Description

SIGHT ATTACHMENT

TF17212A138B61 T1X MTR SYNTHETIC/BLUED 17HMR N/S 10RD 20" MT TF17512A138B68 T1X MTR SYNTHETIC/BLUED 22LR N/S 10RD 20" MT TF17512A138B28 T1X MTR SYNTHETIC/BLUED 22LR N/S 10RD 16" M

TF17212B138B61 T1X MTR SYNTHETIC/BLUED 17HMR N/S 10RD 20" MT - LH

SAFETY

A two-stage safety that's easy and quiet to operate and clearly indicates when the rifle is on safe or ready to fire.

BOLT

Caliber options: 22 LR / 17 HMR

which offers smooth and weather resistant movement.

Tikka T1x has a stainless steel bolt,



Compatibility with most T3x accessories makes it easy to adapt the rifle to the preferences of any shooter.

TRIGGER

The mechanism shares the same high quality trigger unit offered in Tikka centerfire rifles for achieving maximum accuracy.

MAGAZINE

A 10 round magazine comes as standard for both 22 LR and 17 HMR calibers.

STOCK

Light and durable stock with carefully designed grip patters for maximum comfort. From a vertical pistol grip to coloured grips, the T1x stock can be fitted with most T3x accessories. The length of the stock can be increased with spacers. This allows the rifle to grow alongside the shooter.

> Experience the rimfire rifle that performs perfectly at the range and in the rough.

BARREL

A cold hammer forged barrel with a crossover profile offers the benefits of a heavier barrel without much added weight.

The ample 10 round magazine and an exceptionally high quality trigger mechanism make each shot count, whether you are at the range or exploring the great outdoors.



Experience the most versatile rimfire rifle on the market.

Tikka T1x rimfire rifle has been designed from the ground up to handle a variety of shooting tasks. Its barrel has a cross-over profile, so you can enjoy the benefits and stability of a heavier barrel without noticeably increasing the weight.

PISTOL GRIP



T1x UPR

ADJUSTABLE CHEEK PIECE

alignment.

Features a robust adjustable cheek piece for optical scope

High performance in all situations.

T1x Ultimate Precision Rifle introduces a new kind of lightweight stock construction: the bedding features an extra layer of carbon fiber mixed with fiberglass for increased rigidity and accuracy. The stock is coated with a rough surface for the best grip in any condition and has attachments for QD slings. T1x UPR rifles are all muzzle threaded with $\frac{1}{2}$ "-28 UNEF thread.

MAGAZINE

T1x UPR comes with a 10 round magazine as standard for both 22 LR and 17 HMR calibers

T3x UPR can be adjusted to suit all your needs: QD slings can be attached, the recoil pad lenght can be adjusted with spacers, and you can choose between single stage or set trigger.

Caliber options: 22 LR | 17 HMR

Product Code

TF17539A598B68 TF17239A598B61

T1x UPR 22 LR N/S 10RD 20" MT1/2X28 T1x UPR 17 HMR N/S 10RD 20" MT1/2X28



TIKKA T3x SERIES

THE BEST OF EVOLUTION

Features and improvements – you wished, we listened.

STOCK NOISE REDUCTION

Be as silent as the forest. T3x synthetic stocks now have a foam insert within the interior of the rear stock. This lowers the stockgenerated noise and can help you keep your target in sight. Not available for models with an adjustable cheek piece.

ACTION

The action is designed for accuracy, reliability

and easy servicing. Tikka rifles provide you with an extremely rigid action with a two-locking lug T3 bolt. The bolt features a spring-loaded plunger ejector and a removable bolt handle, with 70° opening angle leaving plenty of room for handling the bolt. This is one of the smoothest actions on the market.

BARREL

A cold hammer-forged Sako barrel of highest-grade stainless steel is fastened to the receiver by a sturdy thread for safety and accuracy. Barrel is hand-crowned, as a precise and even muzzle crown is essential for accuracy.

IMPROVED GRIP

A grip that never slips. The T3x synthetic stock has a new asymmetrical grip pattern and shape that has been specifically designed to give a solid grip in all conditions.

SAFETY

Tikka rifles provide you with a two-stage safety, blocking both the trigger and bolt handle. The safety is easy to operate and indicates when the rifle is ready for firing.

IMPROVED BOLT SHROUD

Robustness and quality go hand in hand. Our T3x models come with a durable metallic bold shroud that covers and shields the rear of the bolt body and the firing pin.

The single-column detachable from strong fiberglass-reinforced synthetic material. The magazine holds 3, 5 or 6 rounds depending front of the magazine to prevent accidental releases.

TRIGGER

A single-stage pull with a comfortable trigger feel. The steel trigger has vertical grooves for added grip, even when wearing gloves. It is easily adjustable through the magazine well from 1 to 2 kg (2 to 4 lbs).

MAGAZINE

magazines are manufactured on the model and caliber. A flush release is installed at the

NEW RECOIL PAD

T3x models come with a new recoil pad technology that reduces the impact of recoil on the shooter. The new robust pad allows you to fully concentrate on the accuracy of your shots.

NEW MODULAR STOCK

T3x has a new modular synthetic stock that has interchangeable pistol grips, making it possible to modify the angle of the grip. This allows for multiple shooting positions. Additional grips are sold separately.

The T3x synthetic stock also has an additional attachment point which allows you to change the width of the stock's fore-end.

REDESIGNED EJECTION PORT

and a firm grip.

STOCK

The T3x stock are designed to be light and

durable. Carefully engineered use of walnut or fiberglass-reinforced synthetic materials

guarantee a solid performance. An optional recoil pad system with spacers provides

adjustability in length of pull. Grip patterns are carefully designed for added comfort

IMPROVED RAIL ATTACHMENT Always keep the target in your sight. The T3x models have extra screw placements on top of the receiver

Most rifles are delivered without open sights: they are optional. Integral rails are installed on top

of the receiver for Tikka's unique Optilock scope mounts. The receiver is also

tapped for a Picatinny scope mount

when using larger scopes.

SIGHTS

so that you can robustly attach a picatinny rail – even

The new T3x receiver introduces a widened angular ejection port that makes it easier to feed one cartridge at a time.



The Tikka T3x contains the same features that have made all Tikka rifles worldfamous. When you have a Tikka rifle, you know it is second to none.

T3x COMPACT

A rifle that fits like a glove.

T3x compact is an adjustable rifle that adapts to its user. This rifle has a 12.5" length of pull, creating ideal ergonomics for shooters who struggle with long stocks. It is suitable for long term use, as you may adjust the length of pull according to your needs making it especially valuable for young shooters as they are able to adjust it with the years.

The calibers chosen are milder in recoil, easy to control and therefore great for training as well as for serious hunting.

Caliber options: 204 Ruger | 22-250 Rem | 243 Win | 308 Win | 7mm-08

Tikka T3x Compact comes with 30mm (aprox. 1") spacer and larger recoil pad to enable longer length of pull.

Product Code

T3x COMPACT LITE SYN/BLUED 22-250 20" 3RD N/S T3x COMPACT LITE SYN/BLUED 243 WIN 20" 3RD N/S T3x COMPACT LITE SYN/BLUED 308 WIN 20" 3RD N/S T3x COMPACT LITE SYN/BLUED 204 RUGER 20" 4RD N/S T3X COMPACT LITE SYN/BLUED 7MM-08 20" 3RD N/S

TF1T13JL103

TF1T15JL103

TF1T29JL103

TF1T58JL103

TF1T26JL103

3/4 ROUNDS

MAGAZINE CAPACITY

WEIGHT

T3x LITE

When compromise is not an option.

T3x lite combines high performance with lightweight ease. The Lite models are equipped with the T3x synthetic stock and all new modular features. These models come with the classic low-angled grip.

> Caliber options: 204 Ruger | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 270 Win | 25-06 Rem | 6.5x55 SE | 6.5 Creedmoor | 30-06 Sprg | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Left Hand Caliber options: 22-250 Rem | 243 Win | 308 Win | 270 Win | 30-06 Sprg | 7mm Rem Mag | 6.5 CREEDMOOR | 300 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Product Code

TF1T21LL103

TF1T31LL103

TF1T61LL103

TF1T63LL103

TF1T71LL103

TF1T27LL103

TF1T33LL103

TF1T37LL103

TF1T13LL113

TF1T15LL113 TF1T29LL113

TF1T21LL113

TF1T31LL113

TF1T63LL113

TF1T70LL113

TF1T71LL113

TF1T27LL113

TF1T33LL113

TF1T6325A1300 TF1T70LL103

Description TF1T11LL103 T3x LITE SYNTHETIC BLUED 223 REM 22.4" 4RD N/S T3x LITE SYNTHETIC BLUED 22-250 22.4" 3RD N/S TF1T13LL103 TF1T58LL103 T3x LITE SYNTHETIC BLUED 204 RUGER 22.4" 4RD N/S TF1T26LL103 T3x LITE SYNTHETIC BLUED 7MM-08 22.4" 3RD N/S TF1T15LL103 T3x LITE SYNTHETIC BLUED 243 WIN 22.4" 3RD N/S TF1T29LL103 T3x LITE SYNTHETIC BLUED 308 WIN 22.4" 3RD N/S TF1T17LL103 T3x LITE SYNTHETIC BLUED 25-06 22.4" 3RD N/S TF1T19LL103

T3x LITE SYNTHETIC BLUED 6.5X55 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED 270 WIN 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED 30-06 24.3" 3RD N/S

T3x LITE SYNTHETIC BLUED 260 REM 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED 6.5 CREEDMOOR 22.4" 3RD N/S

CO T3x LITE SYNTHETIC BLUED 6.5 CREEDMOOR 24.3" 3RD N/S T3x LITE SYNTHETIC BLUED 270 WSM 24.3" 3RD N/S

T3x LITE SYNTHETIC BLUED 300 WSM 24.3" 3RD N/S T3x LITE SYNTHETIC BLUED 7MM REM MAG 24.3" 3RD N/S T3x LITE SYNTHETIC BLUED 300 WIN MAG 24.3" 3RD N/S T3x LITE SYNTHETIC BLUED 338 WIN MAG 24.3" 3RD N/S

T3x LITE SYNTHETIC BLUED LEFT HAND 22-250 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED LEFT HAND 243 WIN 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED LEFT HAND 308 WIN 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED LEFT HAND 270 WIN 22.4" 3RD N/S

T3x LITE SYNTHETIC BLUED LEFT HAND 30-06 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED LEFT HAND 6.5 CREEDMOOR 22.4" 3RD N/S T3x LITE SYNTHETIC BLUED LEFT HAND 270 WSM 24.3" 3RD N/S

T3x LITE SYNTHETIC BLUED LEFT HAND 300 WSM 24.3" 3RD N/S T3x LITE SYNTHETIC BLUED LEFT HAND 7MM REM MAG 24.3" 3RD N/S

T3x LITE SYNTHETIC BLUED LEFT HAND 300 WIN MAG 24.3" 3RD N/S



22.4 24.3 ROUNDS

2.7-2.9

AVAILABLE AS LEFT-HANDED BARREL LENGHT MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER

T3x LITE **STAINLESS**

With the metal parts made of Sako's highgrade stainless steel, this is a sturdy and longlasting choice for all weather conditions.

Caliber options: 204 Ruger | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 25-06 Rem | 6.5x55 SE | 6.5 Creedmoor | 270 Win | 30-06 Sprg | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Left Hand Caliber options: 223 Rem | 22-250 Rem | 243 Win | 308 Win | 270 Win | 30-06 Sprg | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Product Code Description

TFTT11LL103 T3x LITE SS 223REM 22.4" 4RD N/S T3x LITE SS 22-250 22.4" 3RD N/S TFTT13LL103 TFTT58LL103 T3x LITE SS 204 RUGER 22.4" 4RD N/S TFTT26LL103 T3x LITE SS 7MM-08 22.4" 3RD N/S T3x LITE SS 243WIN 22.4" 3RD N/S TFTT15LL103 TFTT29LL103 T3x LITE SS 308WIN 22.4" 3RD N/S T3x LITE SS 25-06 22.4" 3RD N/S TFTT17LL103 T3x LITE SS 6.5x55 22.4" 3RD N/S TFTT19LL103 TFTT21LL103 T3x LITE SS 270WIN 22.4" 3RD N/S T3x LITE SS 260REM 22.4" 3RD N/S TFTT61LL103 TFTT31LL103 T3x LITE SS 30-06 22.4" 3RD N/S T3x LITE SS 6.5 CREEDMOOR 22.4" 3RD N/S TFTT63LL103 TFTT6325A1300C0T3x LITE SS 6.5 CREEDMOOR 24.4" 3RD N/S TFTT70LL103 T3x LITE SS 270WSM 24.3" 3RD N/S

T3x LITE SS 300WSM 24.3" 3RD N/S TFTT71LL103 TFTT27LL103 T3x LITE SS 7MMRM 24.3" 3RD N/S TFTT33LL103 T3x LITE SS 300WIN 24.3" 3RD N/S TFTT37LL103 T3x LITE SS 338WIN MAG 24.3" 3RD N/S

TFTT11LL113 T3x LITE SS LEFT HAND 223REM 22.4" 4RD N/S T3x LITE SS LEFT HAND 22-250 22.4" 3RD N/S TFTT13LL113 TFTT15LL113 T3x LITE SS LEFT HAND 243WIN 22.4" 3RD N/S T3x LITE SS LEFT HAND 308WIN 22.4" 3RD N/S TFTT29LL113 T3x LITE SS LEFT HAND 270WIN 22.4" 3RD N/S TFTT21LL113 TFTT31LL113 T3x LITE SS LEFT HAND 30-06 22.4" 3RD N/S

T3x LITE SS LEFT HAND 6.5 CREEDMOOR 22.4" 3RD N/S TFTT63LL113 T3x LITE SS LEFT HAND 270WSM 24.3" 3RD N/S TFTT70LL113 TFTT71LL113 T3x LITE SS LEFT HAND 300WSM24.3" 3RD N/S T3x LITE SS LEFT HAND 7MMRM 24.3" 3RD N/S TFTT27LL113 T3x LITE SS LEFT HAND 300WIN 24.3" 3RD N/S TFTT33LL113

22.4 24.3

ROUNDS

2.7-2.9

T3x BATTUE LITE

The Tikka T3x Battue Lite shares the same special features as the Battue model.

The fiberglass-reinforced modular T3x stock makes the rifle more lightweight and adds possibility to modify the rifle for different situations.



Product Code TF1T29BL603 TF1T31BL603

Description

T3x BATTUE LITE 308 WIN 20" 3RD O/S T3x BATTUE LITE 30-06 20" 3RD O/S



AVAILABLE AS LEFT-HANDED

BARREL LENGHT

MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER

T3x LITE ROUGHTECH

Hold on for year-round pinpoint precision.

All the benefits and performance of a T3x Lite model combined with a Roughtech stock. The rough surface texture provides a solid grip throughout the stock in all weather conditions. Weight has been optimized with the fluted bolt and barrel. Muzzle brake is included for recoil reduction.

Caliber options: 270 Win | 30-06 Sprg | 308 Win 7mm Rem Mag | 300 Win Mag | 6.5 Creedmoor



MUZZLE BREAK

Product Code Description
TF1T2941A5709B4M T33

TF1T2941A5709B4M TF1T2141A570973M TF1T3141A570974M TF1T6341A5709D0M TF1T2741A5709D2M TF1T3341A5709D4M T3x LITE ROUGHTECH SYN/BLUED 308 WIN 22.4" 3RD MT5/8X24 N/S
T3x LITE ROUGHTECH SYN/BLUED 270 WIN 20" 3RD MT5/8X24 N/S
T3x LITE ROUGHTECH SYN/BLUED 30-06 20" 3RD MT5/8X24 N/S
T3x LITE ROUGHTECH SYN/BLUED 6.5 CREEDMOOR 22.4" 3RD MT5/8X24 N/S

T3x LITE ROUGHTECH SYN/BLUED 6.5 CREEDMOOR 22.4° 3RD MT5/8X24 N/S T3x LITE ROUGHTECH SYN/BLUED 7MM REM MAG 24.3° 3RD MT5/8X24 N/S T3x LITE ROUGHTECH SYN/BLUED 300 WIN 24.3° 3RD MT5/8X24 N/S

20.0 24.3 IN SOUNDS

BARREL LENGHT

MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER

2.9-3.2

T3x VARMINT

If you're looking for a true stalking or long distance tool, look no further.

T3x Varmint has consistent accuracy, be it at the range or on the plains. The free-floating barrel of the Tikka T3x Varmint effectively eliminates vibration, offering a solid accuracy performance round after round. The synthetic T3x Varmint stock comes with a vertical pistol grip, better suited for prone shooting.

The stock has an extra wide fore-end for more solid support, and the swivel stud accommodates either a bipod or a sling. The ergonomically designed Varmint cheek piece provides a comfortable optimal head position.

A barrel and action made of stainless steel with a satin matte finish.

Also available as left-handed.

Caliber options: 204 Ruger | 223 Rem | 22-250 Rem | 243 Win | 308 Win | 6.5x55 SE | 6.5 Creedmoor | 7mm Rem Mag | 300 Win Mag

Left Hand Caliber options: 223 Rem | 22-250 Rem | 243 Win | 6.5 Creedmoor | 308 Win

Product Code Do

TFTT13CL105 TFTT13CL105 TFTT58CL105 TFTT15CL105 TFTT29CL105 TFTT19CL105 TFTT63CL105 TFTT763CL105

TFTT33CL105
TFTT11CL115
TFTT13CL115
TFTT15CL115
TFTT29CL115
TFTT63CL115

Description

T3x VARMINT HB STAINLESS SYNTHETIC 223 REM 23.7" 6RD N/S T3x VARMINT HB STAINLESS SYNTHETIC 22-250 23.7" 5RD N/S T3x VARMINT HB STAINLESS SYNTHETIC 204 RUGER 23.7" 6RD N/S T3x VARMINT HB STAINLESS SYNTHETIC 243 WIN 23.7" 5RD N/S T3x VARMINT HB STAINLESS SYNTHETIC 308 WIN 23.7" 5RD N/S

T3x VARMINT HB STAINLESS/SYNTHETIC 6.5X55 23.7" 5RD N/S T3x VARMINT HB STAINLESS/SYNTHETIC 6.5 CREEDMOOR 23.7" 5RD N/S

T3x VARMINT HB STAINLESS SYNTHETIC 7MM REM MAG 23.7" 5RD N/S T3x VARMINT HB STAINLESS SYNTHETIC 300 WIN MAG 23.7" 5RD N/S

T3x VARMINT HB STAINLESS/SYNTHETIC LEFT HAND 223 REM 23.7" 6RD N/S T3x VARMINT HB STAINLESS/SYNTHETIC LEFT HAND 22-250 23.7" 5RD N/S T3x VARMINT HB STAINLESS/SYNTHETIC LEFT HAND 243 WIN 23.7" 5RD N/S

T3x VARMINT HB STAINLESS SYNTHETIC LEFT HAND 308 WIN 23.7" 5RD N/S T3x VARMINT HB STAINLESS SYNTHETIC LEFT HAND 6.5 CREEDMOOR 23.7" 5RD N/S



23.7

3 / 5 / 6 ROUNDS

3.4-3.7 KG

BARREL LENGHT MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER





Tikka T3x laminated stainless is a weather-resistant, sharp-looking grey stock for the adventurous hunter. T3x Laminated Stainless is designed to withstand demanding weather conditions. To achieve this, the Laminated Stainless model comes with a stainless steel barreled action and hard-laminated stock. Compared to normal wood the laminated wood cell structure does not expand during shifting weather conditions. This will minimize the change in point of impact from where the rifle was zeroed.

243 Win | 308 Win | 270 Win | 30-06 Sprg | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Product Code TFTT15VM103

TFTT37VM103

TFTT29VM103 TFTT21VM103 TFTT31VM103 TFTT70VM103 TFTT71VM103 TFTT27VM103 TFTT33VM103

T3x LAMINATED STAINLESS 243 WIN 22.4" 3RD N/S T3x LAMINATED STAINLESS 308 WIN 22.4" 3RD N/S T3x LAMINATED STAINLESS 270 WIN 22.4" 3RD N/S T3x LAMINATED STAINLESS 30-06 22.4" 3RD N/S T3x LAMINATED STAINLESS 270 WSM 24.3" 3RD N/S T3x LAMINATED STAINLESS 300 WSM 24.3" 3RD N/S T3x LAMINATED STAINLESS 7MM REM MAG 24.3" 3RD N/S T3x LAMINATED STAINLESS 300 WIN MAG 24.3" 3RD N/S T3x LAMINATED STAINLESS 338 WIN MAG 24.3" 3RD N/S

T3x ARCTIC

The rifle that Canadian Rangers trust

When Canadian Rangers were choosing their new rifle, the T3x Arctic beat all of its rivals. The rifle is designed to operate in some of the toughest conditions in the most remote areas of world. The Canadian Rangers chose the T3x because it combines second to none weather resistance and

Caliber options: 308 Win | 6.5 Creedmoor

performance.

ADJUSTABLE REAR SIGHT

DEVELOPED FOR CANADIAN RANGERS

Product Code

TFTT29ZM103 TFTT63ZM103

T3X ARTICT LAM SS 308 WIN 20" 10RD PICATINNY RAIL MT5/8-24 W/S T3X ARTICT LAM SS 6.5 CREEDMOOR 20" 10RD PICATINNY RAIL MT5/8-24 W/S

3.0-3.2 24.3 ROUNDS

BARREL LENGHT

MAGAZINE CAPACITY


WEIGHT VARIES BY CALIBER

4.1 20 10 ROUNDS BARREL LENGTH MAGAZINE CAPACITY WEIGHT



TFST63X6105MT

AVAILABLE AS LEFT-HANDED



23.7 5/6 A.1-4.4 KG

BARREL LENGHT

TFST29X6115MT T3x SPORTER HB LAM/BLUED LEFT HAND 308 WIN 23.7" 5RD W/SET TRIGGER, MT N/S

T3x SPORTER HB LAMINATED/BLUED 6.5 CREEDMOOR 23.7" 5RD W/SET TRIGGER, MT N/S

MAGAZINE CAPACITY

T3x UPR

High performance in all situations.

T3x Ultimate Precision Rifle introduces a new kind of lightweight stock construction: the bedding features an extra layer of carbon fiber mixed with fiberglass for increased rigidity and accuracy. The stock is coated with a rough surface, so you can get the best grip in any condition. T3x UPR rifles are also all muzzle threaded with 5/8x24 thread.

PICATINNY

ADJUSTABLE CHEEK PIECE

Features a robust adjustable cheek piece for optical scope alignment.

T3x UPR can be adjusted to suit all your needs: QD slings can be attached, the recoil pad lenght can be adjusted with spacers, and you can choose between single stage or set trigger. It's also available in stainless steel, and the stock is compatible with T1x.

Caliber options:
6.5 Creedmoor | 308 Win

Product Code TF1T6339A594960

TF1T6339A594960 TF1T2939A594964 T3x UPR 6.5 CREEDMOOR 20" 10RD MT5/8-24 N/S T3x UPR 308 WIN 20" 10RD MT5/8-24 N/S



TIKKACANADA.CA

WEIGHT VARIES BY CALIBER

T3x CTR

High performance in all situations.

T3x Compact Tactical Rifle is a multipurpose rifle that adapts to any given situation. The Tikka T3x Compact Tactical Rifle features a 10-round steel magazine and comes standard with vertical angled grip for prone shooting.

Caliber options: 223 Rem | 308 Win | 6.5 Creedmoor

The T3x Compact Tactical Rifle has a durable aluminium trigger guard and a magazine release lever that enables rapid magazine changes. Its compact size, Picatinny rail, Teflon® bolt and 20" or 24" semi-heavy barrel contour with 5/8x24 muzzle thread make this rifle a reliable tool for all training purposes. This rifle can be used as a hunting rifle as well.

Product Code TF1T11HL105MT TF1T29HL105MT

TF1T63HL105MT

TF1T11HL115MT TF1T63HL115MT

T3x CTR SYNTHETIC/BLUED 223 REM 20" 10RD MT PICATINNY RAIL MT5/8-24 N/S

T3x CTR SYNTHETIC/BLUED 308 WIN 20" 10RD MT PICATINNY RAIL N/S T3x CTR SYNTHETIC/BLUED 6.5 CREEDMOOR 20" 10RD MT PICATINNY RAIL N/S

T3x CTR SYNTHETIC/BLUED LEFT HAND 223 REM 20" 10RD MT PICATINNY RAIL N/S T3x CTR SYNTHETIC/BLUED LEFT HAND 308WIN 20" 10RD MT PICATINNY RAIL N/S T3x CTR SYNTHETIC/BLUED LEFT HAND 6.5 CREEDMOOR 20" 10RD MT PICATINNY RAIL N/S

AVAILABLE AS LEFT-HANDED

20

BARREL LENGTH

10 ROUNDS

MAGAZINE CAPACITY

3.4-3.7

WEIGHT

T3x TACT

T3x TACT is the ultimate choice for hunters who need a rifle that can handle the same forces that they can.

Compact size, Picatinny rail, vertical grip, wide foreend, Teflon® bolt and 20" semi-heavy barrel contour make this a reliable precision tool in all circumstances. The T3x TACT rifle is in a class of its own. This rifle has free-floating matchgrade barrel and with phosphate coating on both barrel and action will give this rifle a lasting protection against external conditions. The M18x1 muzzle threading enables you to attach an accessory muzzle break or suppressors.

Caliber options: 223 Rem | 308 Win | 300 Win Mag



Product Code TF1T11K41B5

TF1T11M41B5 TF1T29K41B5 TF1T29M41B5 TF1T33M41B5 Description

T3x TACTICAL PHO 223 REM 20" 6RD N/S T3x TACTICAL PHO 223 REM 24" 6RD N/S T3x TACTICAL PHO 308 WIN 20" 5RD N/S T3x TACTICAL PHO 308 WIN 24" 5RD N/S T3x TACTICAL PHO 300 WIN MAG 24" 5RD N/S

20 24

4/5/6 ROUNDS

3.5-3.7

BARREL LENGHT

MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER



THE OPTILOCK™ IDEA

The Optilock™ mounts keep the scope aligned and secured during all circumstances.

The scope is mounted with the revolutionary ball-bearing rings. Unlike conventional mounts, the Optilock's polymer rings evenly distribute the clasping force along the shaft of the scope, protecting your optics. The limiter pin in the mount base and the limiter pin slot on the receiver enable fast, secure and accurate mounting of the scope.

Optilock bases and rings are machined from a solid block of steel creating a high strength and dimensionally accurate product.





HI

Rings of different height and diameter are available (please see data table). This allows for adjusting sights to suit each shooter and scope model.

RING MOUNTS

Ring type	Tube diameter (d) mm	Mount height (H)	mm	Scope outer max.dia. (D) mm
1" LO	25.4 / 26	Low	27	4856
1" LO S/S	25.4 / 26	Low	27	4856
30 mm LO	30	Low	29	5260
30 mm LO S/S	30	Low	29	5260

MOUNT RINGS FOR MOUNT BASES

1" XTRA LO	25.4 / 26	Extra Low	28.5	5159
1" XTRA LO S/S	25.4 / 26	Extra Low	28.5	5159
1" LO	25.4 / 26	Low	30.5	5563
1" LO PHO	25.4 / 26	Low	30.5	5563
1" LO S/S	25.4 / 26	Low	30.5	5563
1" ME	25.4 / 26	Medium	35.5	6573
1" ME PHO	25.4 / 26	Medium	35.5	6573
1" ME S/S	25.4 / 26	Medium	35.5	6573
1" HI	25.4 / 26	High	40.5	7583
30 mm XTRA LO	30	Extra Low	30.5	5563
30 mm XTRA LO S/S	30	Extra Low	30.5	5563
30 mm LO	30	Low	32.5	5967
30 mm LO PHO	30	Low	32.5	5967
30 mm LO S/S	30	Low	32.5	5967
30 mm ME	30	Medium	36.5	6775
30 mm ME PHO	30	Medium	36.5	6775
30 mm ME S/S	30	Medium	36.5	6775
30 mm HI	30	High	40.5	7583

Without Optilock system

34 mm LO PHO (steel ring)	34	Low	35.0	69
34 mm LO PHO (steel ring)	34	Medium	43.0	85

MOUNT BASES FOR MOUNT RINGS

ikka for Tikka models M55/65, M558/658, M590/690, M595/695 and Tikka T3

Weaver for Picatinny and Weaver rails

The front base of the Optilock has a limiter pin for the receiver's surface in front. This ensures correct remounting of the scope and Optilock unit, without requiring new sight adjustments if the unit is removed and repositioned.

TIKKA **ACCESSORIES**

Customize your Tikka rifle to suit your purpose with our new Tikka accessories.

Enhance your Tikka experience with our wide range of accessories, available in original Tikka accessory bags. Your Tikka rifle has been designed to be adaptable, so you can really make it yours. Contact your local dealer for more information about our range of accessories.



Also compatible with T3 models.



NORMAL PISTOL GRIP

VERTICAL

PISTOL GRIP

Soft-touch version is available in



BOLT SHROUD

Also compatible with T3 models



Product Code Description XJG002 TIKKA Sling 3HGR OVERBERGET XJG001 TIKKA Harness 3HGR Light

Product Code Description TIKKA T3/T3X RECOIL LUG S585T299 \$54065177 TIKKA T3/T3X BOLT SHROUD S54065174 TIKKA T3/T3X RECOIL PAD S54069675 T3x PISTOL GRIP TRADITIONAL - PURE ORANGE S54069676 T3x PISTOL GRIP TRADITIONAL - SOFT TOUCH \$54069677 T3x PISTOL GRIP TRADITIONAL - STONE GREY T3x PISTOL GRIP TRADITIONAL - COYOTE BROWN S54069678 S54069674 T3x PISTOL GRIP TRADITIONAL - OLIVE GREEN S54067115 T3x PISTOL GRIP TRADITIONAL - BLACK (ORANGE LOGO) T3x PISTOL GRIP VERTICAL - PURE ORANGE S54069679 \$54069682 T3x PISTOL GRIP VERTICAL - SOFT TOUCH T3x PISTOL GRIP VERTICAL - STONE GREY S54069681 S54069680 T3x PISTOL GRIP VERTICAL - COYOTE BROWN \$54069683 T3x PISTOL GRIP VERTICAL - OLIVE GREEN T3x PISTOL GRIP VERTICAL - BLACK (WHITE LOGO) S54067116 S54069684 T3x FORE-END GRIP - PURE ORANGE S54069688 T3x FORE-END GRIP - SOFT TOUCH \$54069686 T3x FORE-END GRIP - STONE GREY \$54069685 T3x FORE-END GRIP - COYOTE BROWN T3X FORE-END GRIP - OLIVE GREEN \$54069687 S54067115 T3x FORE-END GRIP - BLACK S5850370 TIKKA T3/T3X MAG 223 REM 4RD S5850372 TIKKA T3/T3X MAG 22-250/308 WIN 3RD S5850373 TIKKA T3/T3X MAG 25-06/338 3RD S5850371 TIKKA T3/T3X MAG 270WSM-300WSM 3RD S5850376 TIKKA T3/T3X MAG 223 REM 6RD BLACK S585B376 TIKKA T3/T3X MAG 223 REM 6RD BLUE S585R376 TIKKA T3/T3X MAG 223 REM 6RD RED TIKKA T3/T3X MAG 22-250/308 5RD BLACK S5850374 S585B374 TIKKA T3/T3X MAG 22-250/308 5RD BLUE S585R374 TIKKA T3/T3X MAG 22-250/308 5RD RED TIKKA T3/T3X MAG25-06/338 5RD/4RD BLACK S5850375 TIKKA T3/T3X MAG 25-06/338 5RD/4RD BLUE S585B375 S585R375 TIKKA T3/T3X MAG 25-06/338 5RD/4RD RED

TIKKA 595 MAG .223 3RD

TIKKA 595 MAG .223 6RD

TIKKA 595 MAG 22-250 3RD

TIKKA 595 MAG 243-308 3RD

TIKKA 695 MAG 270-338 3RD

TIKKA 595 MAG 22-250 5RD

TIKKA T1X MAG 22LR 10RD

TIKKA T1X MAG 17HMR 10RD

TIKKA 595 MAG 243/308 5RD

TIKKA 695 MAG 270-338 WIN MAG 4/5RD

fore-end of your stock. Soft-touch black. TIKKA T3/T3X MAG 260/7MM-08REM/6.5CRMR/243/308 3RD TIKKA T3/T3X MAG 260/7MM-08REM/6.5CRMR/243/308 5RD

FRONT GRIP

Easily widen the version is available in Experience the journey on tikka.fi

26 TIKKACANADA.CA

S58569827 S58569828

S5840370 S5840371

S5840372

S5840373

S5840376

S5840377

S5840374


S5840375

\$545203781

S55203782

TIKKA ACCESSORIES

S54065122	TIKKA CTR/TACT A1/ARTIC MAG 308/6.5CRMR/260 10RD
S540203677	TIKKA CTR/TACT A1 MAG 223 REM 10RD
S54065100	TIKKA/SAKO MUZZLE BRAKE CONICAL BLUED 5/8X24 TACT A1/CTR
S54063159	TIKKA/SAKO MUZZLE BRAKE CONICAL BLUED M147X1
S54063157	TIKKA/SAKO MUZZLE BRAKE CONICAL BLUED M15X1
S54065103	TIKKA/SAKO MUZZLE BRAKE CONICAL STAINLESS 5/8X24 TACT A1/CTR
S54063161	TIKKA/SAKO MUZZLE BRAKE CONICAL STAINLESS M15X1
S530203976	TIKKA/SAKO MUZZLE BRAKE SLIM BLUED M14X1
S54067687	TIKKA/SAKO MUZZLE BRAKE SLIM BLUED M15X1
S530203637	TIKKA/SAKO MUZZLE BRAKE SLIM BLUED M18X1
S530203974	TIKKA/SAKO MUZZLE BRAKE SLIM STAINLESS 14X1
S54067685	TIKKA/SAKO MUZZLE BRAKE SLIM STAINLESS M15X1
S530204345	TIKKA/SAKO MUZZLE BRAKE SLIM STAINLESS M18X1
S54065100	TIKKA CTR MUZZLEBREAK BLUED (5/8 X 24 THREADING)
S54065187	TIKKA T3/T3X/TACT PICATINNY RAIL - PHOSPHATIZED
S54065188	TIKKA T3/T3X/TACT PICATINNY RAIL - STAINLESS
\$540200309	T3x TACTICAL A1 M-LOK PICATINNY RAIL 5 SLOT BIPOD ADAPTER/ACCESSORY



The illustrations and descriptions given in this brochure are intended as a general guide only, and must not be taken as binding. The Company, therefore, reserves the right to make changes, at any moment and without prior notice, necessary to improve the product and to meet either manufacturing or sales requirements. Stoeger Canada reserves the right to apply changes to prices and configurations at any time and without prior notice. Copyright Tikka on images, texts and graphics (if not otherwise stated). All rights are reserved.